


R311 - The Next generation of hammertackers

New range of pneumatic tools 26-28

EG380 - A New Professional Glue gun 42











Tradition, Innovation & Design by Rapid

All the way since 1936 Rapid has constantly improved the process of developing, manufacturing and marketing stapling and fastening. This has made us a specialist company on a global market. Today we are present in 120 countries and Rapid is a strong brand within the Esselte Corporation.

Rapid works in three business areas; OFFICE - staplers and hole punches in the office and at home, TOOLS – professional tools for building & construction as well as devoted repair and decoration at home, and finally INSIDE SOLUTIONS – insert stapling units for copiers and printers.

The Rapid brand stands on a solid foundation based on our three core values, expressed in everything we do; Tradition, Design & Innovation. Our ability to quickly respond and attend to our customers needs and the fact that we have control over the whole chain from development to sales, has made us market leader. The market leadership is consolidated in our quality control made possible by having our own manufacturing and also by our devoted partners and distributors.

Rapid works for you in Research & Development, Production, Distribution, Marketing & Sales.

We make your day efficient.

The importance of comprehensive, day-to-day commitment

It is not easy to provide a relevant description of Isaberg Rapid's environmental work. Naturally, the company is accredited in accordance with ISO 14000, but there is much more going on, and at so many different levels - from the individual employee's choice of cycling instead of driving to work, to new research findings leading to the exclusion of hazardous substances from the manufacturing process, working actively with environmental issues is not about sitting back and being content with having invested in the world's most modern and environmentally friendly powder coating plant (which we have, of course, done). Instead, it's a matter of making daily improvements, as well as keeping up to speed on what is happening in environmental research and legislation.

RAPID ENVIRONMENT POLICY


As a manufacturer of stapling products, Isaberg Rapid AB shall be among the leaders when it comes to environmental issues. We shall aim at an ecological, sustainable development and thereby take responsibility for future environmental issues along with the sound financial operations.

THIS INVOLVES:

- · Act according to relevant legislation, decrees, directions and other demands regarding the environment
- · Act to reduce and prevent pollution and to strive to attain continuous improvements
- Aim at the efficient use of raw material and energy
- · Reduce the use of hazardous substances by eliminating or replacing these by less harmful ones



















MANUAL TACKERS	Pro Handy Hobby	11-13 14-16 16-19
HAMMER TACKERS	Pro	20-21
ELECTRIC TACKERS	Pro Handy Hobby	22-23 24 25
PNEUMATIC TACKERS	Pro Handy	26-27 27-28
ACCESSORIES		29
CONSUMABLES	Staple Guide Consumables	30-31 32-39
GLUE GUNS	Pro Handy Hobby Accessories Glue Guide Glue	42 42-43 44 45 46 47-48
HOT AIR	Pro Handy Hobby Accessories	50 50 50 51
GARDEN	Garden Pliers & Hogrings Fence Pliers & Hogrings Vine Pliers & Hogrings	53 54-55 56
FUN TO FIX	Manual tackers Electric tackers Glue Guns Consumables	58-59 59 61 60-61
INDUSTRY & PRINT FINISHING	Electric staplers Accessories and Staple Pliers & Staples Hole Punch & Accessories	62-64 65 66-68 69

RAPID FRIENDLY SHOPPING

70-71



SALES-BOOSTING CONCEPTS

STAPLING GUNS FOR YOUR EVERY NEED

Our stapling guns come in several different models for different areas of use. To make it easier for you, we've divided our stapling guns in three categories: professional users (PRO), do-it-yourself (HANDY) or hobbies (HOBBY).



PRO

PRO meets the day-to-day requirements of professional users and makes light work of a wide variety of jobs. Rapid's products also make for faster, more efficient work (which increases profitability). Our Pro products offer the reliability that is necessary for daily use in the building trade. HANDY

HANDY gives do-it-yourselfers everything they need in tools for all the pressing jobs around the house. These versatile products are, with their ergonomic design, fast and efficient and made for the Handy user who want to improve their home with easy to use tools.





Rapid's **HOBBY** range sets no limits when it comes to home improvements. Quite the opposite! Rapid's Hobby range widens the scope. With Rapid, the only limiting factor is the imagination of the user.

GARDEN



INDUSTRY & PRINT FINISHING







K1 Textile HD31





G1010

E100R



G1000





M10R

M10Y


SELECT THE STAPLES to suit your requirements





Use fine wire staples when you need a less visible staple, for example when fixing textiles, fabrics, leather, decorative material, labels or posters.








Stainless steel

Quality stainless steel staples for use when a durable staple is required in adverse conditions.

General tips & trix when fixing





Standard

In the standard case the staple should be three times as long as the material to be fixed.

For brads, add 5mm extra.

With resistant materials For hard surfaces ensure that the staple length is twice that of the material you are fixing. Brads should be three times as long as the material to be fixed.



Use a flat-wire staple when completing building and insulation work involving Skirting, PVC and Paperboards.

> Staple symbol for flatwire

140




Construction

Use narrow staples or brads for fixing through tough materials and where long depth is required. Particularly used for heavy-duty fixing, flooring, wood panelling, wall boards, frames, partitioning etc.

Staple symbols for narrow staples and brads





DP

Special line of staples designed with Divergent Point to provide the maximum strength between two parts fastened together.



Fine and light materials When working with fine or light material, ensure that the staple length is 4mm longer than the material thickness. Brads should be 6mm longer than the thickness of the material to be fixed.





R34		Staple 6–14 mm	
Description	Article No	EAN Code	Units
R34, Clamshell - West	20511550	7313465115503	5
R34, Clamshell - East	5000067	4051661000775	5
R34, Clamshell - Neutral	5000085	4051661000959	5
R34, Clamshell - FR	20515557	7313465155578	5
R34, Box	10595721	7313465957219	6

Description Article No EAN Code Units	R14		Staple 6−8 mm	
	R14 Description	Article No	EAN Code	Units
	R14, Clamshell - West	20511450	7313465114506	5
R14, Clamshell - West 20511450 7313465114506 5	D14 Clamaball East			
R14, Clamshell - West 20511450 7313465114506 5 R14, Clamshell - East 5000066 4051661000768 5	R14, Clamsnell - East	5000066	4051661000768	5



MANUAL TACKERS



High durability, all steel stapling gun meeting high demands from professionals. Suitable for securing celing tiles, insulation materials, plastic sheeting, fitted carpets etc. Adjustable force

- Recoilless
- Lock function
- All steel casing & mechanics


High durability, all steel stapling gun meeting high demands from professional users. Suitable for securing thin materials, like plastic and thin cardboard, that need only short staples. Recoilless

- Lock function
- All steel casing & mechanics


		A professional tool for the exacting user. Long service life - capable of over 100,000 actuations. Recommended for securing textiles, canvas, leather, – posters, netting, labels, etc.	_
	Units	Adjustable force	
601	5	 Recoilless Lock function 	
90	5	 All steel casing & mechanics 	
343	5	 Maximum setting for long staples or 	
211	6	hard materials.	/

WEST = GB, DE, FR, NL, IT, ES, PT, SE, FI, DK EAST = DE, PL, RU, TU, CZ, SK, SI, HR, HU, RO, BG

R0		Staple 6–8mm		High durability, all steel stapling gun with projecting nose for reaching in to corners and narrow spaces. Suitable for heavy fabrics, canvas, leather, heavy paper etc. • Adjustable force • Recoilless	R36	N I Fra		
		FAN Code	Unite	• Lock function	Description	Article No	EAN Code	
Description	Article No	EAN Code	Units	 All steel casing & mechanics 	R36, Clamshell - West	20511850	7313465118504	
R30, Clamshell - West	20510850	7313465108505	5	 Maximum setting for long staples or 	R36, Clamshell - East	5000070	4051661000805	
R30, Clamshell - Neutral	5000073	4051661000836	5	hard materials	R36, Clamshell - Neutral	5000090	4051661001000	
					R36, Clamshell - FR	20511825	7313465118252	
					R36, Box	20511811	7313465118115	



Data		itaple ≔14mm		High durability, all steel stapling gun meeting high
R353	Article No	EAN Code	Units	demands from professionals. Suitable for securing - textiles, canvas, leather, posters, netting, labels, etc.
Description	Alticle NO	EAN COUE	Units	 Adjustable force
R353, Clamshell - West	20511250	7313465112502	5	Recoilless
				RecoillessLock function
R353, Clamshell - West	20511250	7313465112502	5	Recoilless



WEST = GB, DE, FR, NL, ES, IT, PT, SE, DK, FI EAST = DE, PL, RU, TU, CZ, SK, SI, HR, HU, RO, BG

Asian Version = JP, GB, CN, KS, TH, HE

Staple 140 6-14mm **MS**840 Description **Article No** EAN Code MS840, Clamshell - West 22876000 7313468760007 MS840, Clamshell - Neutral 5000088 4051661000980 MS840, Clamshell - FR 22876005 7313468760052 MS840, Box 22876001 7313468760014

R28

Description

R28, Box

R28, Clamshell - West

R28, Clamshell - Neutral

Cable

Article No

20511750

5000089

20511710

9–11mm

EAN Code

7313465117507

4051661000997

7313465117101



WEST = GB, DE, FR, NL, IT, ES, PT, SE, FI, DK EAST = DE, PL, RU, TU, CZ, SK, SI, HR, HU, RO, BG



	ble -14mm	High durability, all steel stapling gun for cable installation. Suitable for low-voltage cables of maximum 50V up to 6 mm diameter - ie. telephone, TV, alarm, speaker cables etc.
	Units	Adjustable forceRecoilless
Ļ	5	Lock function
	5	 All steel casing & mechanics
	5	 Maximum setting for long staples or hard materials
	5	 Patented cable guide minimises risk of
	6	damage to cables

	installation. Suitable for low-voltage cables of maximum 50V up to 4.5 mm diameter - ie.
	telephone, TV, alarm, speaker cables etc.
	 Adjustable force
	 Recoilless
Units	 Lock function All steel casing & mechanics
5	 Maximum setting for long staples or hand materials
5	hard materials
6	 Patented cable guide minimises risk of damage to cables

High durability, all steel stapling gun for cable

rad ōmm	ı	Light, powerful and durable stapling gun with cast aluminium casing and all steel interior wear parts. Ergonomic handle and grip covered with soft non-slip material. A professional tool for demanding
	Units	tasks requiring flatwire staples and brads. Adjustable force Recoilless
	5	Kecolless Lock function
	5	 Maximum setting for long staples or hard
	5	materials, patented brad control
	7	Soft grip

Brad 15mr		Light, powerful and durable stapling gun with cast aluminium casing and all steel interior wear parts. Ergonomic handle and grip covered with soft non-slip material. A professional tool for demanding tasks requiring finewire staples and brads. • Adjustable force • Recoilless
	Units	 Lock function Noise damper Maximum setting for long staples or hard
4	5	materials, patented brad control
3	5	Soft grip
NII 1		

ALU740			rad 5mm
Description	Article No	EAN Code	Units
ALU740, Clamshell - GB/FR	/NL 25072310	7313460723109	3
,		7313460723109 7313460723116	3 3
ALU740, Clamshell - GB/FR. ALU740, Clamshell - DE/IT/E ALU740, Clamshell - SE/SF/	S/PT 25072311		-

HANDY

Stapling gun with a combination of cast aluminium body and steel interior wear parts, that makes it light, powerful and durable. Ideal for securing insulation materials, insulation materials, plastic sheeting, cardboard fitted carpets, cardboard, mouldings, beading, frames, etc. • Cast aluminium body • Adjustable force • Recoilless • Lock function • Steel wear parts in mechanism




Stapling gun with a combination of cast aluminium	
body and steel interior wear parts, that makes	
it light, powerful and durable. Ideal for securing	
textiles, canvas, leather, posters, netting, labels,	
beading, frames, etc.	
 Cast aluminium body 	
 Adjustable force 	
 Recoilless 	
 Lock function 	
Steel wear parts in mechanism	/







MS610	e	53 53		a ple 10mm
Description	ANS .	Article No	EAN Code	Units
MS610, Clamsh	nell - West	40107318	3221631073189	3
MS610, Clamsh	nell - FR	24416400	7313464164007	3



WEST = GB, DE, FR, NL, IT, ES, PT, SE, FI, DK EAST = DE, PL, RU, TU, CZ, SK, SI, HR, HU, RO, BG

Stapling gun with cast aluminium body. For finewire taples. Unique, reversed firing technology xtremely useful when working upwards or when the acker is not held evenly against a surface. Suitable or securing textiles, posters, labels, etc. Adjustable force Recoilless Lock function Noise damper

Strong, lightweight, 4-function Staple gun with

a universal magazine that easily loads staples,

mechanism.

Recoilless

Noise damper

Lock function

Adjustable force

cable staples, brads and pins. Projecting nose for

reaching in to corners and tight spaces. All steel



HANDY

Brad 15mm		High capacity stapling gun for flatwire staples and brads. Suitable for securing insulation materials, plastic sheeting, cardboard fitted carpets, cardboard, mouldings, beading, frames, etc. All-steel wear parts inside.	
•	Units	Adjustable forceRecoilless	
		Lock function	
08602	5	 Maximum setting for long staples or hard 	
00799	5	materials	
00973	5	 Patented brad control 	/

Brad 15mm		High capacity stapling gun for finewire staples and brads. Suitable for securing textiles, canvas, leather, posters, netting, labels, beading, frames, etc. All-steel wear parts inside.	
9	Units	Adjustable force Recoilless	
15508	5	 Lock function Maximum setting for long staples or 	
00850	5	hard materials	

	Units	
01	5	Stapling gun for hobby and DIY applications.
76	5	Ergonomic grip. Suitable for home decor, securing
12	5	textiles, reupholstery and light duty repair.
13	6	 Recoilless

Brad 15mm

		High capacity stapling gun for finewire staples and
9	Units	brads. Suitable for securing textiles, canvas, leather, posters, netting, labels, beading, frames, etc.
095503	5	All-steel wear parts inside.
000744	5	Adjustable force Recoilless
000904	5	Lock function
095114	5	 Maximum setting for long staples or
095022	6	hard materials

WEST = GB, DE, FR, NL, IT, ES, PT, SE, FI, DK EAST = DE, PL, RU, TU, CZ, SK, SI, HR, HU, RO, BG

R253	53 Staple 6–14mm			All-round stapling gun with steel interior wear
Description	Article No	EAN Code	Units	parts. For securing textiles, canvas, leather, posters, netting, labels, etc. Max. setting for long staples or
R253, Clamshell - West	20009450	7313460094506	5	hard materials. Recoilless
R253, Clamshell - East	5000062	4051661000720	5	Lock function
R253, Clamshell - Neutral	5000078	4051661000881	5	Adjustable force

EAN Code

7313464438504

Staple 4-10mm

Units

5

5

7

7


6

5

5

M20R	53	Staple 6–12mm		HO Small, lightweight stapling gun for home decoration and light duty repair. The Fun to fix tools are ergonomically designed and suitable also for smaller
Description	Article No	EAN Code	Units	hands. • Recoilless
M20R, Clamshell	23600800	7313466008002	10	 Clamshell includes start set of staples.
M20R, Wrap	24054001	7313460540010	6	Wrap includes display box





HANDY

R53

HOBBY

Description

R53, Clamshell - West



Article No

20443850

M40 is two tools in one. It uses both fine-wire staples and brads. If you are a hobby fixer doing carpentry, decoration ans repairs, this is the right tool for you.

Stapling gun for hobby and DIY applications.

textiles, reupholstery and light duty repair.

Recoilless


Lock function

Ergonomic grip. Suitable for home decor, securing

- Clamshell includes start set of staples.
- Wrap includes display boxAdjustable force







M10Y		taple –8mm		_ Ideal for lighter decoration and hobby work. Grip suits
Description	Article No	EAN Code	Units	also slightly smaller hand. Fires fine-wire staples. • Recoilless
M10Y, Clamshell	23317600	7313463176001	10	 Clamshell includes start set of staples.
M10Y, Wrap	24053801	7313460538017	6	Wrap includes display box

WEST = GB, DE, FR, NL, IT, ES, PT, SE, FI, DK EAST = DE, PL, RU, TU, CZ, SK, SI, HR, HU, RO, BG



		Small, lightweight stapling gun for home decoration and light duty repair. The Fun to fix tools are ergonomically designed and suitable also for smaller
	Units	hands. • Recoilless
05	10	 Clamshell includes start set of staples.
03	6	Wrap includes display box

	Units	Ideal for lighter decoration and hobby work. Grip suits — also slightly smaller hand. Fires fine-wire staples. • Recoilless]
04	10	 Clamshell includes start set of staples. 	ļ
00	6	Wrap includes display box	·










Compacta		53 Staple 6-14mm
Description	Article No	EAN Code
Compacta, Clamshell	11520110	7313465211106
Compacta, Box	62107040000	731346053800







	Brad 8 15mm	
	Units	
		Dual function Staple gun that staples both finewire
16	12	and brads. A smart combination for hobby use.

	Units		
01	20	Small, lightweight Staple gun for home decoration	J
37	20	and light duty repair.	

	Units		
6	12	Metal Staple gun. Suitable for decoration and light	
00	20	duty repair.	
			-



PRO

NEW! R311	anter/man	140 e	Staple 5–12mm
Description	Article No	EAN Code	Units
R311, Clamshell	5000005	4051661000065	4
R311, Box	5000004	4051661000058	10

The hammer tacker for real professionals. New, quick bottom loading: the magazine is opened with a light push on the button. Comfortable grip and perfect balance.

Areas of use; roofing felt, moisture barrier, protective plastic foil, insulation, etc.

Quick loading with no loose parts

- For flat wire staples 6-12 mm
- Double staple driver for extreme durability
- Large protective plate
- All steel construction
- Swedish manufacturing







Heavy duty hammer tacker for hard wearing work with fixing insulation, roofing sheet materials, heavy fitted carpets, etc. Large protective shield prevents damage to the material around impact area. Reliable and durable all steel construction. Built in buffer plate protects the material in work All steel

Swedish manufacturing

Accessorie Hammer tacker holster 311	Rapid	NEV
Description	Article No	EAN Code
Hammer tacker holster 311	5000097	4051661002007

PRO

Staple

Units 5 All steel Swedish manufacturing 6

All steel hammer tacker for roofing, insulation, fitted carpets, labels etc. Single-handed ergonomic grip for easy operation. For flatwire staples 6 - 10 mm. Ergonomically designed rubber grip.

Staple

4–6mm Units		materials and fast attachment of labels, posters etc. Single-handed ergonomic grip for easy operation.	
		 Loading mechanism with no loose parts Simple bottom-loading procedure 	
	onno	 All steel construction 	
27	5	Non slip covered ergonomic handle	
10	10	Swedish manufacturing	/

Small and light hammer tacker for insulation



Climb the ladder safely with your hammer tacker secured in a holster. Holster specifically designed for Rapid Hammer tacker R311.

- Lightweight, waterproof polyester Riveted for high durability
- · Reinforced with anti-slip fabric and steel mesh webbing for abrasion resistance


ELECTRIC STAPLING & NAILING TACKERS

PRO



Powerful electric Staple gun. Excellent staple performance with both hard and soft wood. Perfect balance enables one hand operation leaving the other hand free to work with the materials. Ergonomically designed in association with Ergonomic Design Group.

- Universal magazine for 12-25 mm narrow crown staples and 15-25 mm brads
- Adjustable impact setting through Focused Power - the higher the power, the harder the stapling
- Recoil free action
- Perfect balance
- Supplied with 3.5 m connection lead with moulded plug



balance enables one hand operation leaving the other hand free to work with the materials. Ergonomically designed in association with Ergonomic Design Group. Universal magazine for 8-20 mm finewire staples and 15-20 mm brads Adjustable impact setting through Focused Power

- the higher the power, the harder the stapling Recoil free action
- Perfect balance
- Supplied with 3.5 m connection lead with moulded plug

R214		140 Staple 8–16mm
Description	Article No	EAN Code
R214, Box	24171201	7313461712010
R214, Box (with UK plug)	5000121	405166100239



		High performance electric Staple gun. Excellent staple performance in both hard and soft wood.	
		Perfect balance enables one hand operation leaving	
		the other hand free to work with the materials.	
		Ergonomically designed in association with	
		Ergonomic Design Group.	
		Uses 8-16 mm flatwire staples	
n		 Adjustable impact setting through Focused 	
		Power – the higher the power, the harder	
		- the stapling —	1
	Units	 Recoil free action 	
		 Perfect balance 	
10	5	 Supplied with 3.5 m connection lead with 	ļ
97	5	moulded plug	

PRO

m		 Electric brad nailer that shoots up to 50 mm brads thanks to the patented Electric Tank. Ideal applications are wall panelling, cabinet work and list-mouldings Quick release nozzle cover for easy clearance when jammed Front aluminium casing 	
	Units	 Anti-slip grip 5 meter cord 	
4	3	 Power adjuster 	
3	3	 Hardwearing magazine 	/

HANDY



All-new cordless tacker with Li-lon technology that provides full flexibility, freedom and comfort to fasten many different types of material.
7,2V Li-lon battery
Ergonomic design with soft grip handle and perfect balance

E-Tac		Staple 6–14 mm	Brad 15 mm	
Description	Article No	EAN Code	Units	 Electric Staple gun for hobby use. Balanced and lightweight construction makes it
E-tac, Box	22276001	7313462760010	5	comfortable to work with for all users. Ergonomic design
E-tac, Clamshell	22276010	7313462760102	5	 Staple window shows staple length and
E-tac, Clamshell - FR	22276018	7313462760188	5	when it is time to reload
E-tac, Box (with UK plug)	22276011	7313462760119	5	 Manual on/off button for safety



High capacity, recoil free action electric Staple gun ideal for DIY. Designed by Ergonomic Design	
Group.	
 Long life working life with hardwearing parts in steel 	_
 Ergonomic design that enables two 	
different grips	
 Easy to staple close to a wall 	

- Universal magazine for 6-14 mm finewire
- staples and 15 mm brads


fun ^{to} fix	5	3 Staple 6-14 mm
E100R Description	Article No	EAN Code
E100R, Clamshell E100R, Clamshell - FR	23317400 23317402	731346317400 731346317402

ESN114	140	Staple 6-14 mm 8	Brad 15 mm
Description	Article No	EAN Code	Units
ESN114, Box	22275001	7313462750011	5
ESN114, Clamshell	22275011	7313462750110	5
ESN114, Clamshell - FR	22275012	7313462750127	5
ESN114, Box (with UK plug)	22275002	7313462750028	5

High capacity, recoil free electric Staple gun for DIY. Designed by Ergonomic Design Group. • Long life working life with hardwearing

- Long life working life with hardwear parts in steel
- Ergonomic design that enables two
- Ergonomic design that different grips
- different grips
- Easy to staple close to a wall
- Universal magazine for 6-14 mm flatwire staples and 15 mm brads









T	8	Brad 15 mm	
		Units	
7		4	
1		4	

	Electric Staple gun for hobby & decoration
	applications. Makes small repair and decoration go
	much faster.
	 Ergonomic design
-	 Staple window shows staple length and
	when it is time to reload
	 Manual on/off button for safety
	 Supplied in inspirational packaging with
	180 pcs. 8 mm staples

		Easy to use electric nailer with ergonomic design for easy handling and maneuvering. The extra long nozzle makes it suitable for tongue-and-groove panels.	
	Units	 Adjustable impact force Extra long nozzle 	
000	5	 See-through magazine for easy loading 	
017	5	Ergonomic design	

T 8	Brad 15 mm		
	Units	Basic electric Staple gun for hobby applications	
02	4	Manual on/off button for safety	

PNEUMATIC TACKERS





Semi pro and dual pneumatic stapler / nailer. For durable and thicker fastening due to staples and brads lenght up to 50mm. Ideal for paneling, cabinetmaking, joinery or paneling.







Pneumatic brad nailer with high power for brads from 15 to 50mm. Ideal for thicker wood paneling and bigger baseboards fixing, door framing, light joinery, finishing.



Semi pro pneumatic stapler for no. 12 (80) staples from 6 up to 16mm. Ideal for padding, fabric work on wood, upholstery/tapestry.



Professional nailer for both 21P nails and 21B brads. Ideal to fix thin mouldings and other prcision work. The nails, 0,8 mm, leaves almost no marks. High power combined with low air consumption. Shooting mini pins and mini brads 21B and 21P from 15 to 40mm Magnesium housing to keep weight light and reduce fatigue - LAC system: Low Air Consumption to be runned with any kind of Air Compressor Soft Grip Handle for best comfort

HANDY

PRO



Pneumatic Dual Stapler/Nailer for narrow staples and brads up to 30mm. Ideal for durable fastening like framework, wood paneling, skirting boards installations, furniture repairs, casebacks, finish/trim.



Pneumatic stapler for flat wire staples from 6 to 16mm. Ideal for protection PVC/Film, plastic sheeting or insulation materials installations, carpet fitting, cardboards.



Pneumatic stapler for fine wire staples from 6 to 16mm. Small size and light weight for light upholstery, light joinery, fabric work or labeling.



Airtac - the new pneumatic range - Finish big jobs quickly





CONSUMABLES – A strong link

No one knows better than Rapid how important the actual staples are to the stapling results. If a Rapid stapling tool jams, it is usually due to having been loaded with the wrong size staples or low quality staples. For best results, always use Rapid original staples. It is also worth remembering that there are different staples for different jobs.

FINE WIRE STAPLES Because they are made of fine wire, these staples are not so visible. Ideal for working in textiles, the fine wire has a minimal effect on the textile fibres. The hole left after removing these staples when masking off can be painted over without being covered with filler.

FLAT WIRE STAPLES Flat wire affords a larger holding area against the material. Suitable for plastic and other non-fibrous materials.

BRADS For carpentry. Available in versions without head (Rapid 9), with small head (Rapid 8/300), and a somewhat stronger version (Rapid 16) for heavier work.

NARROW CROWN STAPLES Works like a double brad for fixing through tough materials and where long depth is required. Particularly useful for heavy-duty fixing, flooring, wood panelling, wall boards, frames, partitioning, etc.

12-14 mm

15 mm

15 mm

15 mm

15 mm

10-14 mm

15 mm

15-20 mm

15 mm

20 mm

15 mm

15-25 mm

15-25 mm

15 mm

CABLE STAPLES Flat wire staples with a round crown for securing lowvoltage cables.

AEG					Black & D	ecker				ESCO58	Nº58	4-14 mm			Ironside				
Powertac 14	EMN	6-14 mm			A5751		6-8 mm			ESCO90	N SS	6-14 mm	Nº 8	15 mm	1000		4-8 mm		
Powertac 16		6-14 mm	Tree .	15 mm	A5752		6-14 mm			ESCO100	Nº53	8-20 mm	TN*8	15-20 mm	1500		6-14 mm		
Powertac 18		8-18 mm	EMN	8-18 mm	A5918		6-14 mm		14 mm	ESCO200	[iverese	12-25 mm	TN'S	15-25 mm	1800	IN SS	6-14 mm) J	13
Powertac 19	BMN	8-18 mm	Ter .	20 mm	A5980		6-10 mm			Compacta 530		4-14 mm			2000		6-12 mm	The state	
Powertac 19		12-18 mm			BD418		6-14 mm		14 mm	ET53031	N*53	6-14 mm	N°8	15 mm	2000		15 mm		
Powertac 30	[]	18-30 mm	Nº.	15-30 mm	BD428	1	5-30 mm			HT53055	N*53	6-14 mm	N *8	15 mm	2200	IN 55	6-12 mm	I N ¹⁸	
Arrow					DN418	IN WEST	6-14 mm		14 mm	Derby 530	Nº53	6-8 mm			2200		12-14 mm	N°9	
ETF50PBN	Nº140	6-14 mm	No.	15 mm	DN428	Nº806	5-30 mm			DLT 530	N*53	4-18 mm			2500		6-14 mm		
ETN50	Nº140	6-14 mm			KX418E		6-14 mm		14 mm	DLT 606		12-25 mm			2600		6-14 mm	I N'S	
ET50	Nº110	6-14 mm			KX428E	Nº806 1	5-30 mm			Fisher Dar	ex N	lekano	C		2800		10-14 mm		1
ETC50	Nº 140	6-14 mm			Powershot	Nº 502	6-14 mm	TN-3	15 mm	A300E	IN SS	8-12 mm			KWB				
JT21M/CM		6-10 mm			Bosch					Maxi10/Mek10		4-10 mm			MT10		6-10 mm		
HT50P		6-14 mm			нтв		4-8 mm			Mek6/16/20	Nº 140	6-14 mm			MT16N		8-16 mm	The state	
HT30		6-10 mm			HT14		4-14 mm			Mek88	N S	12-14 mm					15 mm		
T18	ÎN 28	9-11 mm			НМТ53		4-8 mm			Mek116	N 53	6-14 mm	Nº 3	15 mm	MT20N		8-20 mm	In a	1
T27	N ^{IS}	6-10 mm			HMT57		6-10 mm			Mek1020		8-14 mm		15-20 mm	MIZUN		15-18,5 mm		
T25	ÎNSE	12-14 mm	Î 177	12-14 mm	PTK14E		6-14 mm		15 mm	Mini4		4-8 mm			PT8	N '53	4-8 mm		
T2025		12-14 mm	N 7	12-14 mm			8-18 mm		15-20 mm	Hyper14		4-10 mm		15 mm	PT10	N*53	4-10 mm		
T50		6-14 mm			PTK19E		12-18 mm 15-18,5		8-18 mm	H100		6-14 mm			PT14	N '53	6-14 mm		
T50PBN	Nº140	6-14 mm	Tes .	15 mm	DTKOOF		mm	EN-REG.		Hyper16		6-14 mm			P114		15 mm		
T30		6-10 mm			PTK23E PTK28E		12-18 mm	In sec.	12-23 mm	Super17		6-14 mm			PT18		8-18 mm	The	
T32		6-10 mm			PTK3,6V		6-14 mm		12-25 mm	Fixit					118		18,5 mm		
T50OC		10-14 mm			ESCO		0 14 1111			S100	128 M	6-8 mm			TT14		6-14 mm	The second	
T55	Nº10	6-14 mm			ESCO10		4-10 mm			S150		6-12 mm	1 87	14 mm	TT18		8-20 mm	TN's	1
P22		6-8 mm			ESCO11		6-10 mm			S200		6-12 mm	N°2	15 mm	TT26	[Nº826	12-25 mm		1
Powershot 8000		6-14 mm	Tes .	15 mm	ESCO19		4-6 mm			S400		6-14 mm	N°8	15 mm	TN30		15-30 mm		
Powershot 5700	Nº160	6-14 mm		15 mm	ESCO20		4-8 mm			M100		6-10 mm			TT42R	[Nº006	15-30 mm		
Powershot 5650	N 83	6-10 mm			ESCO30		6-14 mm			M100B		6-12 mm		15 mm	Kinzo				
9000	Nº140	6-14 mm	Term	15 mm	ESCO40		6-14 mm			<u>.</u>					7T70	N '50	6-8 mm		
9100	117300	6-14 mm	The state	15 mm	ESCO50		6-14 mm	Ter .	15 mm						7T72	N° 360	6-14 mm	Nº3	



40EL		6-14 mm	TN*S	15 mm
91EL	Nº838	15-30 mm		15-35 mm
80EL	TNºs	15-30 mm		
81EL		15-30 mm		
3EL	Nº53	4-16 mm	Tree .	15 mm
3EL		6-14 mm		15 mm
T45	N 23	8-10 mm	N 127	10 mm
T60	N-38	10-14 mm	ÎN7	12-14 mm
1-P, Z1		4-8 mm		4-8 mm
		6-14 mm	N ¹⁶⁰	6-14 mm
2-P, Z2		15 mm		
Rexel		I		
001		6-8 mm		
exel 37		6-14 mm		
itan Twin		6-10 mm		
o-Line	F	6-8 mm		
itan 12 H		6-12 mm		
Rocafix				
IS03		4-8 mm		
IS05		4-8 mm		
IS10		6-12 mm		6-15 mm
IS15		6-12 mm		
IS20		6-12 mm	ÎN7	12-14 mm
		6-12 mm		15 mm
IS30		15 mm		
		6-12 mm	N*9	15 mm
IS35	Terr	15 mm		
		6-12 mm	Tera	15 mm
IS40	[NT	12-14 mm	N*2	15 mm
IS50		6-14 mm		
IS60	[NT	12-14 mm	IN 17	12-14 mm
IS100-MS110	IN 55	4-10 mm		4-8 mm
IS500		6-14 mm	Tera	15 mm
IS500B		6-14 mm	The second	15 mm
IS655		12-14 mm	N-27	9-11 mm
IS675	Î	12-14 mm	ÎN:17	12-14 mm
S130		6-14 mm	The second	15 mm
S230		6-14 mm		15 mm
N330	TN*3	15-30 mm		
S80	Nº12	6-16 mm		
S12-25	[NVERS	12-25 mm		
N15-32	TN*3	15-30 mm		
N20-50		20-50 mm		
SN20-50	Nº44	20-40 mm		20-50 mm
N15-50	TN*3	15-50 mm		
S21		6-10 mm		
S50		6-10 mm		
IS Metal		6-14 mm		
Rocagraf				
OC11	N*53	4-6 mm		
OC22		6-10 mm		
			-	

	_	1		
ROC55		6-14 mm		
ROC88		12-14 mm		
ROC90	N *17	12-14 mm		
ROC310	N°1	6-14 mm		18,5 mm
	The	15 mm		
		6-15 mm		6-16 mm
ROC320	TNPS	20 mm		
тмт м	[<u>N7</u>]	12-14 mm		
TMT G	ÎN7	12-14 mm		
Junior 4	TNY	15-30 mm		
ME 16	Nº 12	6-16 mm		
ME 30	Tere	15-30 mm		
FIX 102		4-8 mm		
FIX 103		4-8 mm		
FIX 106		4-14 mm		
Rondy		I	1	
50		6-14 mm		
60		6-12 mm		
Stanley/Bo	stit			
ST10		6-10 mm		
ST14	N*53	6-14 mm	Nº 5	15 mm
TR45	N*53	6-8 mm		
TR100		6-14 mm		
TR200		6-14 mm	TN-S	15 mm
TRE500				
		6-14 mm		15 mm
Hobby 8/Pro8		4-8 mm		6-8 mm
Vario 14/HD 14		4-8 mm		15 mm
Pro 14		6-14 mm		
Hammer Tacker		6-10 mm		
TGD		6-12 mm		
T200/TR100M2 T58/ET58E/T15/		6-14 mm		
T15C		6-14 mm		
T5-8 OC, P4-8/ PC4000	Nº11	6-14 mm		
HB308		6-10 mm		
H30		6-10 mm		
Wolfcraft				
7001/P10/M10		4-10 mm		
Taco 4/HT8	N*53	6-8 mm		
Taco 5 (7005)		4-8 mm		
Taco 7/P14+/M14+	Nº53	4-14 mm		
7007, 7003, 7004	N*53	4-14 mm		
Taco 8 (7002)		4-8 mm		
Taco 10 (7006)		6-10 mm		
7110		8-18 mm		
7100		18 mm		
7160/7162	[N'635	18-30 mm		
7165	[N*636	15-23 mm		
HT 10	N*160	6-10 mm		
ET 26+	[N'695	15-25 mm	Nº 6	15-25 mm
DL 26	N 636	12-25 mm	<u>. </u>	
ET 20		8-20 mm	No	15-20 mm





Precision cut finewire staple made from high performance steel. Thin wire makes fixed

staple almost invisible.

53

Rapid No 53

Description	Material	Pcs.	Packaging	Article No	EAN Code	Units
53/4mm	Galvanized	1600	Clamshell	40109501	3221631095013	5
53/6mm	Galvanized	1080	Clamshell	40109502	3221631095020	5
53/8mm	Galvanized	1080	Clamshell	40109503	3221631095037	5
53/10mm	Galvanized	1080	Clamshell	40109504	3221631095044	5
53/12mm	Galvanized	1080	Clamshell	40109505	3221631095051	5
53/14mm	Galvanized	1080	Clamshell	40109506	3221631095068	5
53/20mm	Galvanized	540	Clamshell	40109508	3221631095082	5
53/6mm	Stainless	1080	Clamshell	40109509	3221631095099	5
53/8mm	Stainless	1080	Clamshell	40109510	3221631095105	5
53/10mm	Stainless	1080	Clamshell	40109511	3221631095112	5
53/12mm	Stainless	1080	Clamshell	40109512	3221631095129	5
53/6 mm Fun to Fix	Galvanized	1080	Clamshell	40108717	3221631087179	10
53/8 mm Fun to Fix	Galvanized	1080	Clamshell	40108718	3221631087186	10
53/10 mm Fun to Fix	Galvanized	1080	Clamshell	40108721	3221631087216	10
53/12 mm Fun to Fix	Galvanized	1080	Clamshell	40108722	3221631087223	10



ANCE 6

Description	Material	Pcs.	Packaging	Article No	EAN Code	Units
53/6mm	Galvanized	1200	Box	23807400	7313468074005	10
53/8mm	Galvanized	1200	Box	23808800	7313468088002	10
53/10mm	Galvanized	1200	Box	23808900	7313468089009	10
53/12mm	Galvanized	1200	Box	23809000	7313468090005	10
53/14mm	Galvanized	1200	Box	23807600	7313468076009	10
53/6mm	Galvanized	2500	Box	11856225	7313469053016	50
53/8mm	Galvanized	2500	Box	11857025	7313469053023	50
53/10mm	Galvanized	2500	Box	11858825	7313469053054	50
53/12mm	Galvanized	2500	Box	11859625	7313469053061	50
53/14mm	Galvanized	2500	Box	11860425	7313469053078	50
53/20mm	Galvanized	1250	Box	11894301	7313468943011	50
53/4mm	Galvanized	5000	Box	23808700	7313468087005	50
53/6mm	Galvanized	5000	Box	11856250	7313468562502	50
53/8mm	Galvanized	5000	Box	11857050	7313468570507	50
53/10mm	Galvanized	5000	Box	11858810	7313468585105	50
53/12mm	Galvanized	5000	Box	11859610	7313468596101	50
53/14mm	Galvanized	5000	Box	11860410	7313468604103	50
53/16mm	Galvanized	5000	Box	11860490	7313468604905	50
53/8mm	Stainless	2500	Box	23808000	7313468080006	50
53/10mm	Stainless	2500	Box	23807500	7313468075002	50
53/6mm	Galvanized	5000	Plastic box	40303083	7313463030839	5
53/8mm	Galvanized	5000	Plastic box	40303084	7313463030846	5
53/10mm	Galvanized	5000	Plastic box	40303085	7313463030853	5
53/12mm	Galvanized	5000	Plastic box	40303086	7313463030860	5
53/14mm	Galvanized	5000	Plastic box	40303087	7313463030877	5

13	R

13 F	Rapid	No 13						
Description		Material	Pc	s.	Packaging	Article No	EAN Code	Units
13/4mm		Galvanized	16	00	Clamshell	40109518	3221631095181	5
13/6mm		Galvanized	16	00	Clamshell	40109519	3221631095198	5
13/8mm		Galvanized	16	00	Clamshell	40109520	3221631095204	5
13/10mm		Galvanized	11	00	Clamshell	40109521	3221631095211	5
13/14mm		Galvanized	11	00	Clamshell	40109522	3221631095228	5
13/6 mm Fun t	o Fix	Galvanized	11	00	Clamshell	40108725	3221631087254	10
13/8 mm Fun t	o Fix	Galvanized	11	00	Clamshell	40108726	3221631087261	10
Description	Materia	al P	cs.	Pac	kaging	Article No	EAN Code	Units
13/4 mm	Galvani	ized 2	500	Box		11825725	7313469013027	50
13/6 mm	Galvani	ized 2	500	Box		11830725	7313469013041	50
13/8 mm	Galvani	ized 2	500	Box		11835625	7313469013072	50
13/10 mm	Galvani	ized 2	500	Box		11840625	7313469013096	50
13/14 mm	Galvani	ized 2	500	Box		11850525	7313469013119	50
13/20 mm	Galvani	ized 1	250	Box		11851301	7313468513016	50
13/4 mm	Galvani	ized 5	000	Box		11825700	7313469013010	50
13/6 mm	Galvani	ized 5	000	Box		11830700	7313469013034	50
13/8 mm	Galvani	ized 5	000	Box		11835600	7313469013065	40
13/10 mm	Galvani	ized 5	000	Box		11840600	7313469013089	35
13/14 mm	Galvani	ized 5	000	Box		11850500	7313469013102	25
13/6 mm	Stainles	ss 2	500	Box		11830726	7313469013058	50
13/8 mm	Stainles	ss 2	500	Box		11835626	7313469013126	50
13/6 mm	Galvani	ized 5	000	Plas	stic box	40303079	7313463030792	5
13/8 mm	Galvani	ized 5	000	Plas	stic box	40303080	7313463030808	5
13/10 mm	Galvani	ized 5	000	Plas	stic box	40303081	7313463030815	5
13/14 mm	Galvani	ized 5	000	Plas	stic box	40303082	7313463030822	5

	Rapid	No 13					
Description		Material	Pcs.	Packaging	Article No	EAN Code	Units
13/4mm		Galvanized	1600	Clamshell	40109518	3221631095181	5
13/6mm		Galvanized	1600	Clamshell	40109519	3221631095198	5
13/8mm		Galvanized	1600	Clamshell	40109520	3221631095204	5
13/10mm		Galvanized	1100	Clamshell	40109521	3221631095211	5
13/14mm		Galvanized	1100	Clamshell	40109522	3221631095228	5
13/6 mm Fun 1	to Fix	Galvanized	1100	Clamshell	40108725	3221631087254	10
13/8 mm Fun f	to Fix	Galvanized	1100	Clamshell	40108726	3221631087261	10
Description	Materia	I Pcs.		Packaging	Article No	EAN Code	Units
13/4 mm	Galvaniz	zed 2500)	Box	11825725	7313469013027	50
13/6 mm	Galvaniz	zed 2500)	Box	11830725	7313469013041	50
13/8 mm	Galvaniz	zed 2500)	Box	11835625	7313469013072	50
13/10 mm	Galvaniz	zed 2500)	Box	11840625	7313469013096	50
13/14 mm	Galvaniz	zed 2500)	Box	11850525	7313469013119	50
13/20 mm	Galvaniz	zed 1250)	Box	11851301	7313468513016	50
13/4 mm	Galvaniz	zed 5000)	Box	11825700	7313469013010	50
13/6 mm	Galvaniz	zed 5000)	Box	11830700	7313469013034	50
13/8 mm	Galvaniz	zed 5000)	Box	11835600	7313469013065	40
13/10 mm	Galvaniz	zed 5000)	Box	11840600	7313469013089	35
13/14 mm	Galvaniz	zed 5000)	Box	11850500	7313469013102	25
13/6 mm	Stainles	s 2500)	Box	11830726	7313469013058	50
13/8 mm	Stainles	s 2500)	Box	11835626	7313469013126	50
13/6 mm	Galvaniz	zed 5000)	Plastic box	40303079	7313463030792	5
13/8 mm	Galvaniz	zed 5000)	Plastic box	40303080	7313463030808	5
13/10 mm	Galvaniz	zed 5000)	Plastic box	40303081	7313463030815	5
13/14 mm	Galvaniz	zed 5000)	Plastic box	40303082	7313463030822	5



140	Rapid No 14	0				
Description	Material	Pcs.	Packaging	Article No	EAN Code	Units
140/6mm	Galvanized	970	Clamshell	40109513	3221631095136	5
140/8mm	Galvanized	970	Clamshell	40109514	3221631095143	5
140/10mm	Galvanized	650	Clamshell	40109515	3221631095150	5
140/12mm	Galvanized	650	Clamshell	40109516	3221631095167	5
140/14mm	Galvanized	650	Clamshell	40109517	3221631095174	5
140/10mm	Stainless	650	Clamshell	40109575	3221631095754	5
140/14mm	Divergent Point	650	Clamshell	40109576	3221631095761	5


Precision cut flatwire staple made from high performance steel. Flatwire has a larger holding area against the material, making it ideal for thin plastic, insulation etc.



140

Rapid No 140

Description	Material	Pcs.	Packaging	Article No	EAN Code	Units
140/6 mm	Galvanized	2000	Box	11905731	7313469140013	50
140/8 mm	Galvanized	2000	Box	11908131	7313469140020	50
140/10 mm	Galvanized	2000	Box	11910731	7313469140037	50
140/12 mm	Galvanized	2000	Box	11912331	7313469140044	45
140/14 mm	Galvanized	2000	Box	11915631	7313469140051	40
140/6 mm	Galvanized	5000	Box	11905711	7313469140068	20
140/8 mm	Galvanized	5000	Box	11908111	7313469140075	20
140/10 mm	Galvanized	5000	Box	11910711	7313469140082	20
140/12 mm	Galvanized	5000	Box	11912311	7313469140099	15
140/14 mm	Galvanized	5000	Box	11915611	7313469140105	15
140/10 mm	Stainless	2000	Box	11910733	7313469140112	50
140/6 mm	Galvanized	5000	Plastic box	40303088	7313463030884	5
140/8 mm	Galvanized	5000	Plastic box	40303089	7313463030891	5
140/10 mm	Galvanized	5000	Plastic box	40303090	7313463030907	5
140/12 mm	Galvanized	5000	Plastic box	40303091	7313463030914	5
140/14 mm	Galvanized	5000	Plastic box	40303092	7313463030921	5
140/16 mm	Galvanized	2000	Plastic box	5000091	4051661001703	5



3221631088718 10

Units

EAN Code



Packaging Article No 40109414 8-6-5

Rapid (

°tix

1740 Clamshell

Fun to Fix


As it's not always simple to have the right staple at home, Rapid provides a new solution of blister packaging including several kinds of leg length together. Multipack staples exists for several kinds of staples: red, yellow or cables and various leg lenaths

53 13 7	Multi	pack		lengths.	i, yellow or cables and	a various
Description	Material	Pcs.	Packaging	Article No	EAN Code	Units
53/4-6-8 mm Fun to Fix Multi	Galvanized	1080	Clamshell	40108715	3221631087155	10
53/6-8 mm Fun to Fix Multi	Galvanized	1080	Clamshell	40108716	3221631087162	10
3/10-12-14 mm Fun to Fix Multi	Galvanized	1080	Clamshell	40108719	3221631087193	10
3/10-12 mm Fun to Fix Multi	Galvanized	1080	Clamshell	40108720	3221631087209	10
3/4-6-8 mm Fun to Fix Multi	Galvanized	1100	Clamshell	40108723	3221631087230	10
7/12-14 mm Fun to Fix Multi	Galvanized	720	Clamshell	40108727	3221631087278	10



		Rapid No (606				
	Description	Material	Pcs.	Packaging	Article No	EAN Code	Units
	606/12mm	Galvanized	1200	Clamshell	40109527	3221631095273	5
	606/15mm	Galvanized	1200	Clamshell	40109528	3221631095280	5
	606/18mm	Galvanized	600	Clamshell	40109529	3221631095297	5
	606/23mm	Galvanized	600	Clamshell	40109530	3221631095303	5
	606/25mm	Galvanized	600	Clamshell	40109531	3221631095310	5
	606/30mm	Galvanized	600	Clamshell	40109532	3221631095327	5
_							
	Description	Material	Pcs.	Packaging	Article No	EAN Code	Units
	606/12 mm	Galvanized	1440	Box	23809100	7313468091002	10
	606/15 mm	Galvanized	1440	Box	23807100	7313468071004	10
	606/18 mm	Galvanized	1200	Box	23807800	7313468078003	10
	606/23 mm	Galvanized	960	Box	23807200	7313468072001	10
	606/25 mm	Galvanized	720	Box	23809200	7313468092009	10
	606/30 mm	Galvanized	720	Box	23808100	7313468081003	10
	606/12 mm	Galvanized	4000	Box	11895002	7313468950026	6
	606/18 mm	Galvanized	4000	Box	11897602	7313468976026	6
	606/25 mm	Galvanized	4000	Box	11737302	7313467373024	6
	606/30 mm	Galvanized	4000	Box	61606301040	4004073000574	6
	606/12 mm	Galvanized	3600	Plastic box	40303093	7313463030938	5
	606/18 mm	Galvanized	3600	Plastic box	40303094	7313463030945	5
	606/25 mm	Galvanized	3600	Plastic box	40303095	7313463030952	5
	606/30 mm	Galvanized	3600	Plastic box	40303096	7313463030969	5

Accessorie R3 Staple Remover	P	
Description	Article No	EAN Code
R3, Clamshell	20000702	7313460007025



long depth is required.

Particularly useful for heavy duty fixing, flooring, wood panelling, wall boards, frames, partitioning, etc.









Precision cut, high performance steel flatwire cable staple with rounded crown, for securing low voltage cables.



Rapid No 36

Description	Material	Pcs.	Packaging	Article No	EAN Code	Units
36/12 mm DP	Galvanized	0.864M	Clamshell	40109626	3221631096263	5
36/14 mm DP	Galvanized	0.864M	Clamshell	40109627	3221631096270	5
Description	Material	Pcs.	Packaging	Article No	EAN Code	Units
36/10 mm DP	Galvanized	5x1000	Box	11884410	7313468844103	20
36/12 mm DP	Galvanized	5x1000	Box	11885110	7313468851101	20
36/14 mm DP	Galvanized	5x1000	Box	11886910	7313468869106	15
36/10 mm DP	White	5x1000	Box	11884431	7313468844318	20
36/12 mm DP	White	5x1000	Box	11885130	7313468851309	20
36/14 mm DP	White	5x1000	Box	11886911	7313468869113	15

Rapid No 28

Description	Material	Pcs.	Packaging	Article No	EAN Code	Units
28/10 mm DP	Galvanized	1.08M	Clamshell	40109625	3221631096256	5
_			_			
Description	Material	Package	Pcs.	Article No	EAN Code	Units
28/9 mm DP	Galvanized	5x1000	Box	11890131	7313468901318	25
28/10 mm DP	Galvanized	5x1000	Box	11893510	7313468935108	20
28/11 mm DP	Galvanized	5x1000	Box	11891933	7313468919337	20
28/9 mm DP	White	5x1000	Box	11890130	7313468901301	25
28/10 mm DP	White	5x1000	Box	11893511	7313468935115	20
28/11 mm DP	White	5x1000	Box	11891931	7313468919313	20

							TEL:SERV			
7 Rapid No 7										
Description	Material	Pcs.	Packaging	Article No	EAN Code	Units	1000			
Description 7/12 mm	Material Galvanized	Pcs. 960	Packaging Clamshell	Article No 40109523	EAN Code 3221631095235	Units 5				

Description	Material	Pcs.	Packaging	Article No	EAN Code	Units
8/15 mm	Galvanized	1000	Clamshell	40109533	3221631095334	5
8/20 mm	Galvanized	750	Clamshell	40109534	3221631095341	5
8/25 mm	Galvanized	1000	Clamshell	40109535	3221631095358	5
8/30 mm	Galvanized	1000	Clamshell	40109536	3221631095365	5
Description	Material	Pcs.	Packaging	Article No	EAN Code	Units
8/15 mm	Galvanized	1000	Box	11900820	7313469008207	70
8/20 mm	Galvanized	1000	Box	11901720	7313469017209	70
8/20 mm	Stainless steel	1000	Box	40303065	7313463030655	36
8/25 mm	Galvanized	1000	Box	11902520	7313469025204	72
8/30 mm	Galvanized	1000	Box	11902550	7313469025501	72
8/30 mm	Stainless steel	1000	Box	40303066	7313463030662	36
8/15 mm	Galvanized	5000	Box	40100532	3221631005326	20
8/19 mm	Galvanized	5000	Box	40100533	3221631005333	12
8/25 mm	Galvanized	5000	Box	40014272	3221630142725	12
8/30 mm	Galvanized	5000	Box	40014273	3221630142732	12
8/35 mm	Galvanized	5000	Box	40100534	3221631005340	10
8/40 mm	Galvanized	5000	Box	40100535	3221631005357	6
8/45 mm	Galvanized	5000	Box	40100536	3221631005364	6
8/50 mm	Galvanized	5000	Box	40100537	3221631005371	6
8/50 mm	Stainless steel	1000	Box	40303067	7313463030679	36

9	Rapid No	9			
Description	Material	Pcs.	Packaging	Article No	
9/15 mm	Galvanized	1000	Clamshell	40109538	



For all kinds of finishing applications, from the finest and invisible work (Rapid 21B and Rapid 21P) to panel fixing (Rapid 8/300) and door framing. Rapid 16 and 32.

EAN Code	Units	
	Units	
3221631095389	5	

Description	Material	Pcs.	Packaging	Article No	EAN Code	Units
16/14 mm	Galvanized	990	Clamshell	40109554	3221631095549	5
Description	Material	Pcs.	Packaging	Article No	EAN Code	Units
16/25 mm	Galvanized	5000	Box	40014282	3221630142824	6
16/30 mm	Galvanized	5000	Box	40014283	3221630142831	6
16/35 mm	Galvanized	5000	Box	40014284	3221630142848	4
16/40 mm	Galvanized	5000	Box	40014285	3221630142855	4
16/45 mm	Galvanized	5000	Box	40014286	3221630142862	4
16/50 mm	Galvanized	5000	Box	40014287	3221630142879	4



980/14 mm

970

Description

970/6 mm

970/8 mm

970/10 mm

970/12 mm

970/14 mm

Description

970/8 mm

970/10 mm

970/14 mm

970/14 mm DP Galvanized

Rapid No 958 Fine wire staples designed originally for Esco and Novus tools.

Description	Material	Pcs.	Packaging	Article No	EAN Code	Units
958/6 mm	Galvanized	2400	Clamshell	40109541	3221631095419	5
958/8 mm	Galvanized	2000	Clamshell	40109542	3221631095426	5
958/10 mm	Galvanized	1600	Clamshell	40109543	3221631095433	5
958/12 mm	Galvanized	800	Clamshell	40109544	3221631095440	5

Clamshell

980	Rapid No S	980 Flat v	vire staples designe	ed originally for S
Description	Material	Pcs.	Packaging	Article No
980/8 mm	Galvanized	1080	Clamshell	40109545
980/10 mm	Galvanized	860	Clamshell	40109546
980/12 mm	Galvanized	650	Clamshell	40109547

650

Galvanized

Rapid No 32 32

· · · · · · · · · · · · · · · · · · ·						
Description	Material	Pcs.	Packaging	Article No	EAN Code	Units
32/32 mm	Galvanized	1000	Box	40104405	3221631044059	20
32/38 mm	Galvanized	1000	Box	40104406	3221631044066	20
32/38 mm	Stainless steel	1000	Box	40303068	7313463030686	15
32/45 mm	Galvanized	1000	Box	40104407	3221631044073	15
32/50 mm	Galvanized	1000	Box	40104408	3221631044080	15
32/50 mm	Stainless steel	1000	Box	40303069	7313463030693	10
32/57 mm	Galvanized	1000	Box	40104409	3221631044097	10
32/64 mm	Galvanized	1000	Box	40104410	3221631044103	10

21P Mini Pin 21P

Description	Material	Pcs.	Packaging	Article No	EAN Code	Units	20mm
21P/20 mm	Galvanized	5000	Box	40302972	3221633029726	30	Rapid (
21P/30 mm	Galvanized	5000	Box	40302974	3221633029740	20	5000 Save Jpcs.

21B Mini Brad 21B

Description Material Pcs. Packaging Article No EAN Code Units
21B/20 mm Galvanized 5000 Box 40302975 3221633029757 30
21B/30 mm Galvanized 5000 Box 40302977 3221633029771 20
21B/40 mm Galvanized 5000 Box 40302978 3221633029788 15

	anid No 11		and an all a family of a st				Rapid
Description	Material	Plat wire st	Packaging	Article No	h Heavy Duty tackers.	Units	Staday Restark
11 STCR/10 mm	Galvanized	648	Clamshell	40108161	3221631081610	5	12
11 STCR/12 mm	n Galvanized	648	Clamshell	40108162	3221631081627	5	C



Swingline tools.

40109548

EAN Code	Units
3221631095457	5
3221631095464	5
3221631095471	5
3221631095488	5



ı	Material	Pcs.	Packaging	Article No	EAN Code	Units
	Galvanized	1340	Clamshell	40109549	3221631095495	5
	Galvanized	1100	Clamshell	40109550	3221631095501	5
	Galvanized	900	Clamshell	40109551	3221631095518	5
1	Galvanized	670	Clamshell	40109552	3221631095525	5
I	Galvanized	670	Clamshell	40109553	3221631095532	5
DP	Galvanized	670	Clamshell	40109599	3221631095990	5
า	Material	Pcs.	Packaging	Article No	EAN Code	Units
	Galvanized	1344	Box	23809300	7313468093006	8
	Galvanized	670	Box	23807300	7313468073008	10
1	Galvanized	670	Box	23806900	7313468069001	10



Rapid No 12 The basic 80 staples. Made of flat wire, designed specially for tapestry and upholstery.

							201
Description	Material	Pcs.	Packaging	Article No	EAN Code	Units	
12/8 mm	Galvanized	1440	Clamshell	40109568	3221631095686	5	
12/12 mm	Galvanized	720	Clamshell	40109570	3221631095709	5	
Description	Material	Pcs.	Packaging	Article No	EAN Code	Units	1.
12/6 mm	Galvanized	5000	Box	40100517	3221631005173	30	
12/8 mm	Galvanized	5000	Box	40100518	3221631005180	24	The The Sector
12/10 mm	Galvanized	5000	Box	40100519	3221631005197	20	Rapid
12/12 mm	Galvanized	5000	Box	40100520	3221631005203	20	
12/14 mm	Galvanized	5000	Box	40100521	3221631005210	15	
12/16 mm	Galvanized	5000	Box	40100522	3221631005227	16	50001
							-

escription	Material	Pcs.	Packaging	Article No	EAN Code	Units
BMN/6 mm	Galvanized	1080	Clamshell	40109555	3221631095556	5
BMN/8 mm	Galvanized	1080	Clamshell	40109556	3221631095563	5
BMN/10 mm	Galvanized	1080	Clamshell	40109557	3221631095570	5
BMN/14 mm	Galvanized	1080	Clamshell	40109559	3221631095594	5
Description	Material	Pcs.	Packaging	Article No	EAN Code	Units
BMN/12 mm	Galvanized	2500	Box	20356100	7313468695019	50
BMN/14 mm	Galvanized	2500	Box	20356200	7313468711016	50

1				
	1			
		4		
			J.	

Rapid No	1	Flat wire staple designed for Rocagraf manual and pneumatic tools
Itapia ita		That wire staple designed for reodyna mandal and pricamatic tool

Description	Material	Pcs.	Packaging	Article No	EAN Code	Units
1/8 mm	Galvanized	860	Clamshell	40109539	3221631095396	5
1/10 mm	Galvanized	860	Clamshell	40109540	3221631095402	5



Rapid No 22 Fine wire staple for office plier Arrow P22.

Description	Material	Pcs.	Packaging	Article No	EAN Code	Units
22/6 mm	Galvanized	2688	Clamshell	40109574	3221631095747	5

	90

Rapid No 90 Narrow crown staple designed Rapid Airtac PBS151

Description	Material	Pcs.	Packaging	Article No	EAN Code	Units
90/20 mm	Galvanized	3000	Plastic box	5000123	4051661002441	5
90/25 mm	Galvanized	3000	Plastic box	5000124	4051661002458	5
90/30 mm	Galvanized	3000	Plastic box	5000125	4051661002465	5
90/35 mm	Galvanized	1500	Plastic box	5000126	4051661002472	5
90/40 mm	Galvanized	1500	Plastic box	5000127	4051661002489	5









A heavy-duty professional glue gun for fastening cables, packaging, assembly work. High glue output (up to 2200 g/h) Fast heating time (less than 5 minutes) Different temperature settings for specialised bonding applications by temperature adjustor

CG270	25 (250W)	Glue Ø12 mm	Glue output: Up to 350 g/h	
Description		Article No	EAN Code	Units
CG270, Clamshell - GB/	FR/NL/DE/IT/ES/PT/GR	40302994	3221633029948	5
CG270, Clamshell - GB	(with UK plug)	40302995	3221633029955	5
CG270, Clamshell - SE/	DK/NO/FI	40302996	3221633029962	5



Glue gun for professional users. Two preset temperatures (185°C and 200°C). High glue output (up to 1600 g/h). Silicon protected nozzle, and extra stable stand. Various types of nozzle are available as optional accessories. High glue output : up to 1600g/h Exchangeable nozzle



Glue gun with fast warm-up, high glue output and uniform temperature. Dynamic Grip four-finger trigger action for precision work. Silicone protected nozzle. The ideal, handy tool for the home. High glue output Exchangeable nozzle

	Ø12	Ś
EG250) Glue Ø12 mm	Glue o Up to 3
Description	Article No	EAN Code
EG250, Clamshell - SE/DK/NO/FI	40302913	32216330
EG250, Clamshell - GB/FR/NL/DE/IT/ES/PT/GI	R 40302925	32216330
EG250, Clamshell - DE/CZ/SK/HU/RO/BG/SI/HR	40302936	32216330
EG250, Clamshell - FR	24426000	73134642
EG250, Clamshell - ES/PT/FR	40302937	80819802
EG250, Case (with UK plug)	5000117	40516610



EG212	Glue Ø12 mm			
Description	Article No	EAN Code	Units	
EG212, Clamshell - FR	24436400	7313464364001	5	
EG212, Clamshell - GB	40302921	3221633029214	5	An all around tool for handy work and simpler
EG212, Clamshell - SE/DK/NO/FI	40302922	3221633029221	5	repairs. EG212 has attractive family look (coordinated with Point, EG130 and EG250) and
EG212, Clamshell - GB/FR/NL/DE/IT/ES/PT/GR	40302923	3221633029238	5	uses Rapid 12 mm glue sticks.
EG212, Clamshell - DE/CZ/SK/HU/RO/BG/SI/HR	40302934	3221633029344	5	 Silicone nozzle protection
EG212, Clamshell (with UK-plug)	40302921	3221633029214	5	Adjustable stand for gluing in best position

PRO





The new cordless glue gun with high glue output. With its removable cord it's now very easy to glue in difficult areas, corners and roofs. The main features of this new glue gun is its ergonomic, interchangeable nozzle and improved work stand for better stability. Plug in wherever you want, after few minutes, you can remove the cable and glue everything (plastic, PVC, wood, india rubber or carton) wherever it's needed in your house! High power for good performance in all

conditions Silicone nozzle protection




e output: to 350 g/h

ode	Units
33029139	5
33029252	5
33029252	5
64260006	5
8029373	5
61002304	5


A new glue gun with functional features for your specific needs - ready-to-use light and on/ off button. New improved work stand for better stability. A multi function glue gun for all types of crafts. EG250 has attractive family look (coordinated with Point, EG130 and EG212) and uses Rapid 12 mm glue sticks. Silicone nozzle protection Adjustable stand for gluing in best position

HOBBY


G1010	5 (20W)	Glue Ø7 mm			
Description		Article No	EAN Code	Units	G1010 is the mini glue gun which will help you beautify your home. Decorate your favourite frame
G1010, Clamshell - EU		24772100	7313468170004	5	with sea shells or pattern your window covers.



A new mini glue gun with functional features for your specific needs - a cordless solution and a precision nozzle for precise work and cordless operations. Point has attractive family look (coordinated with EG130, EG212 and EG250), new improved work stand for better stability and uses Rapid 7mm glue sticks. • Precision nozzle for small and precise work • Integrated stand to the main body



G1000 in the Fun to Fix range is the colourful and
small glue gun, perfect for applications at home.
Decorate your favorite frame with sea shells, or
pattern your window covers. Package include start
set of glue sticks.
Silicone nozzle protection
 Adjustable stand for gluing in best position



EG130	15 (100W)	Glue Oval		
		Oval	FAN Code	
Description		Article No	EAN Code	Units 5
	GB/FR/NL/DE/IT/ES/PT/GR			-
EG130, Clamshell -	GB	40303000	3221633030005	5
EG130, Clamshell -	FR	24426300	7313464263007	5

new glue gun with low temp feature for heat ensitive materials. Great value for money and versatile tool for hobby work. EG 130 has ttractive family look (coordinated with Point, G212 and EG250), new improved work stand for etter stability and uses Rapid low temp oval glue ticks. 130°C glue hot melt Silicone nozzle protection




Kit 3 Nozzles

Description	Article No	EAN Code	Units	3 Nozzle kit for EG250, CG270, BGX300,	
Kit 3 Nozzles	40107334	3221631073349	10	EG310, EG330	



Ø12 Fun to Fix Glue				Fun to Fix glue bag contains of 10pcs multi transparent glue sticks D12X190mm and is suitable for Fun to Fix G1000. It's a new version of package solution with standing and hanging	
Description	Article No	EAN Code	Units	 functions and open able and closable system. Each bag contains 100 gr of Coloured glue in 	
Fun to Fix Glue Bag Multi Transparent	23499500	7313464995007	50	several colours	/

GZ Fun to Fix Clue	
Ø7 Fun to Fix Glue	Article No
Fun to Fix Glue Colour Bag	23835900
Fun to Fix Glue Transparent Bag	23835904



Practical and Convenient

Using a glue gun and glue sticks has several benefits compared with using "ordinary" glue. One benefit is that glue sticks are non-toxic, which is reassuring for everyone, especially people with small children. The glue gun and glue stick method makes it simple to use the right amount of glue for the job, giving better adhesion and eliminating wastage. The glue sticks can be stored for many years without any deterioration in quality. Due to its non-toxic properties, avoids problems with keeping glue in the home.



LEATHER : Glue those damaged shoes or that torn suitcase with our leather glue. Glues leather, suede and imitation leathers, such as nubuck, etc.



METAL : Perfect when joining small metal items, jewellery, etc. Glues copper, pewter, brass, aluminium, iron, etc.



PVC/CABLE : For all PVC repairs. Secures cable, electrical wiring, fitted carpets, floor tiles, etc.



TEXTILE : Glue all textiles with our strong textile glue. Glues cotton, linen, suede, cork, etc.



SANITARY : An excellent glue for tiles and ceramics. Also good as a sealer in bathrooms and other areas subjected to wet.



WOOD : Glues wood, particle board, plywood, mouldings, balsa wood, melamine, laminated plastic, etc.



LOW TEMP : Low temperature glue for materials like glass, ceramics, and polystyrene. Useful for arts and craft, hobby and floral decorations.



LOW TEMP GLITTER GLUE :

An excellent glue for all types of decorations and heat sensitive materials. Useful for arts and craft, hobby and floral creations.



The glue gun is the ultimate tool with many different uses – from craft activities to advanced technical uses. To get the best possible results for all applications we recommend the use of Rapid glue sticks.

For most home applications the multipurpose glue will give the best result. For advanced applications requiring a stronger and more robust bond, a suitable glue is required, purpose made to go with the materials that are to be joined. To find the most suitable glue for your application please see the table below.

When using hot glue we would make the following recommendations:

- Ensure the surfaces are clean, dry and free from grease, paint and varnish.
- Apply the glue to one surface only, this should be the least sensitive to variations in temperature.
- Apply the glue sparingly, a thinner layer will give a better bond.
- Avoid applying the glue to large areas and join the two layers to be bonded as soon as possible.
- Press together the joined surfaces.

High temperature glue

Name	Format	Usage	Application temperature	Softening point	Viscosity	Open time	Set time
GEN-T	Ø12	Transparent universal glue	160-200° C	81–84° C	6,5-8,5 Pa.s. at 200°	60 sec	30 sec
ECO-T	Ø12	Transparent universal glue	160-200° C	81–84° C	6,5-8,5 Pa.s. at 200°	60 sec	30 sec
ASS	Ø12	Wood, packaging, leather, cork and textile	170–190° C	80–96° C	1–3 Pa.s. at 200°	30 sec	30 sec
PRO-T	Ø12	PVC, plastic, cables, glass, porous material and fibrous material	160-200° C	81–84° C	6,5-8,5 Pa.s. at 200°	60 sec	30 sec
PRO+	Ø12	High performance applications. Multi purpose, metal, plastic, glass, wood and treated surfaces	170–190° C	80–96° C	1–3 Pa.s. at 200°	30 sec	30 sec
PAC	Ø12	Fast tack and packaging	170–190° C	101–109° C	1–3 Pa.s. at 200°	8 sec	3 sec
PRO-B	Ø12	White glue used for sanitary, cable and porous materials	170-190° C	80–96° C	1–3 Pa.s. at 200°	30 sec	30 sec

NOTE: The ambient conditions e.g. temperature can affect the bonding time and strength etc. Isaberg Rapid AB are constantly reviewing and improving their products, therefore we reserve the right to change the specification without warning.



Glue Clamshell

Description	Article No	EAN Code	Units
125g LT Ovalx94mm Multi Purpose	40107349	3221631073493	10
125g LT Glitter Oval Red/Green/Blue	40108462	3221631084628	10
125g LT Glitter Oval Silver/Gold	40108463	3221631084635	10
125g D7x94mm Multi Purpose	40107350	3221631073509	10
50g D7x65mm Multi Purpose	40107609	3221631076098	10
125g D7x94mm Multi - East EU	40107948	7313461079489	10
125g D12x94mm Multi Purpose	40107356	3221631073561	10
250g D12x190mm Multi Purpose	40107362	3221631073622	10
125g D12x94mm Multi - East EU	40107946	7313461079465	10
250g D12x190mm Multi - East EU	40107949	7313461079496	10
125g D12x94mm White	40107355	3221631073554	10
250g D12x190mm White	40107361	3221631073615	10
250g D12x190mm White - East EU	40107951	7313461079519	10
50g D12x94mm PVC/Cable	40107351	3221631073516	10
125g D12x94mm PVC/Cable	40107358	3221631073585	10
250g D12x190mm PVC/Cable	40107363	3221631073639	10
250g D12x190mm PVC/Cable - East EU	40107950	7313461079502	10
125g D12x94mm Sanitary	40107359	3221631073592	10
50g D12x94mm Textile/Cork	40107353	3221631073530	10
50g D12x94mm Leather	40107354	3221631073549	10
50g D12x94mm Metal	40107352	3221631073523	10
125g D12x94mm Wood	40107360	3221631073608	10
250g D12x94mm Multi - East EU	40107947	7313461079472	10

Glue Bag


Description	Article No	EAN Code	Units	
1Kg PRO-B D12x190mm	40302803	3221633028033	10	
2.5Kg PRO-B D12x295mm	40302804	3221633028040	4	
1Kg LT D12x190mm	40302781	3221633027814	10	Contra Rapidelill
1Kg ECO-T D12x190mm	40302798	3221633027982	10	Cola Cola Cola
1Kg GEN-T D12x190mm	40302799	3221633027999	10	MAALas Libm 1 kg C
2.5Kg GEN-T D12x295mm	40302800	3221633028002	4	PRO+
1Kg ASS D12x190mm	40302787	3221633027876	10	 Table for Management and the second se
1Kg PRO+ D12x190mm	40302777	3221633027777	10	Contract, including the specific sector of the specific sector
1Kg PRO-T D12x190mm	40302768	3221633027685	10	 The second particular gam and particular second parti
500g LT Oval Transparent	59006007	3221630100534	20	25-35
250g D7X100mm Transparent	57002006	3221630101098	50	
1Kg D12X200mm Black	51215108	3221630101357	20	

Glue Box

Description	Article No	EAN Code	Units
10Kg GEN-T D12x190mm	40302771	3221633027715	1
10Kg PRO+ D12x190mm	40302779	3221633027791	1
10Kg ASS D12x190mm	40302788	3221633027883	1
10Kg PAC D12x190mm	40302791	3221633027913	1
10Kg PRO-T D12x190mm	40302775	3221633027753	1
16Kg PA817 D12X300mm	51243000	7313462430005	1



				LCD display and temperature sensor for exact temperature control and air flow setting. Seven preprogrammed functions. Ideal for welding plastics and soldering.	Glass Protection Nozzle				This nozzle directs the jet of hot air and helps
				 Over-heating protection 	Description	Article No	EAN Code	Units	to prevent the glass from cracking as a result of overheating. The nozzle is also excellent for
				 Safe usage in self-standing position Cool Air Stage 	Glass Protection Nozzle 50 mm, Box	212149	7313462121491	5	avoiding overheating when working in corners and
22				 Carefully positioned centre of gravity 	Glass Protection Nozzle 75 mm, Box	24928600	7313469286001	5	other tight spaces.
R2000 Pro	2000	W		 Hanger Anti-Slip Soft Grip 					
Description	Article No	EAN Code	Units	 Variable temperature setting Ergonomic design 		A			
R2000, Box	21147700	7313461477001	6	 LCD Display with memory function Seven preprogrammed application functions 	Reduction Nozzle	MA			
					Description	Article No	EAN Code	Units	Reduces the width of the air jet all the way down
					Reduction Nozzle 9 mm, Box	24928500	7313469285004	5	to 20 mm, giving a narrowly directed heat jet. Very useful for glueing edges, soft soldering and
					Reduction Nozzle 20 mm, Box	212148	7313462121484	5	removing paint in corners.
Regulator 2000 Description	2000 Article No	EAN Code	Units	doing plumbing work and for removing paint. Over-heating protection Safe usage in self-standing position Cool Air Stage Carefully positioned centre of gravity 	Description Reflector Nozzle, Box	Article No 212150	EAN Code 7313462121507	Units 5	A very useful nozzle when soldering thin pipes, shaping PVC pipes or shrinking shrink tubes. Reflecting the hot air provides uniform heating all around the pipe.
I				Hanger					
Regulator 2000, Box	21898000 21898010	7313468980009 7313468980108	5 5	 Anti-Slip Soft Grip Variable temperature setting Ergonomic design 			Ĩ		
Regulator 2000, Kit Plastic case* *Set of paint scrapers and 4 nozzles									
•					Wide Slot Nozzle		1		
					Wide Slot Nozzle Description	Article No	EAN Code	Units	An all-round nozzle that gives a wide spread of ho
•						Article No 212151	EAN Code 7313462121514	Units 5	An all-round nozzle that gives a wide spread of ho air for drying surfaces, removing paint, repairing
*Set of paint scrapers and 4 nozzles					Description				•
•	2000	D DW		Multi-usage hot air gun with two temperature- and airflow levels. • Over-heating protection	Description Wide Slot Nozzle 45 mm, Box	212151	7313462121514	5	air for drying surfaces, removing paint, repairing
*Set of paint scrapers and 4 nozzles	-	•	Units	airflow levels. • Over-heating protection • Safe usage in self-standing position • Cool Air Stage	Description Wide Slot Nozzle 45 mm, Box Wide Slot Nozzle 75 mm, Box	212151	7313462121514	5	
*Set of paint scrapers and 4 nozzles	2000	w	Units 10	airflow levels. • Over-heating protection • Safe usage in self-standing position	Description Wide Slot Nozzle 45 mm, Box Wide Slot Nozzle 75 mm, Box	212151	7313462121514 7313469287008	5	air for drying surfaces, removing paint, repairing
*Set of paint scrapers and 4 nozzles Accelerator 2000 Description	2000 Article No	EAN Code		airflow levels. • Over-heating protection • Safe usage in self-standing position • Cool Air Stage • Perfectly balanced	Description Wide Slot Nozzle 45 mm, Box Wide Slot Nozzle 75 mm, Box	212151	7313462121514 7313469287008	5	air for drying surfaces, removing paint, repairing





_





GP238	(VR3B) H 6	log Ring -11-16mm	
Description	Article No	EAN Code	Units
Garden Plier GP238, Clamshell	24311200	7313463112009	12

VR38 Basic	O (VR36) Hog Ring 6–11–16mm		Hogrings for 6-11-16mm stalks, stems
Description	Article No EAN Code	Units	 Basic hogrings to fix young bushes/plants 3 closed sizes
VR38 Garden hogrings 0.3M, Clamshell	40109236 3221631092364	5	Medium lastEconomic version

VR38 Galvanized	Q (VR38) H	og Ring -11-16mm		_ Hogrings for 6-11-16mm stalks, stems	
Description	Article No	EAN Code	Units	 Most common hogrings used to fix all branches and winter protection 	
VR38 Garden hogrings Galvanized 0.3M, Clamshell	40109237	3221631092371	5	 3 closed sizes Long last	

VR38 Green	Q (VR39) Hog Ring 6-11-16mm		Hogrings for 6-11-16mm stalks, stems • Common hogrings used to fix stems, branches,	
Description	Article No EAN Code	Units	bushes • 3 closed sizes	
VR38 Garden hogrings 0.3M, Clamshell	40109238 3221631092388	5	Long lastInvisable	

GP238 is the perfect tool to fix young plants, secure growing branches and attach a net. The tool can be locked in three different positions just enough to secure it without destroying the plant.
Quick load magazine
Lock for easy storage




FP222	VR22 Hog 5-1	g Ring 1mm	
Description S	Article No	EAN Code	Units
Garden Fence Plier FP222, Clamshell	23468100	7313464681009	10

The FP222 is designed specially for heavy duty VR22 hog rings. Ideal to fix somewhat thicker wire netting and chain link fencing to fence wires, the new FP222 provides secure, reliable results; can be used for both domestic and professional requirements. Handle lock for easy storage

FP216	(VR16) Hog 2-8	y Ring Imm		
Description	Article No	EAN Code	Units	
Garden Fence Plier FP216, Clamshell	23467900	7313464679006	10	

The FP216 with the new soft-grip handle and long magazine will help you to fix securely fencing around your house. Fitting VR16 hog rings, FP216 is the ideal solution for fitting fencing to narrow spaces on large surfaces, e.g. animal cages etc. Handle lock for easy storage



The FP20 has a very new ergonomic handle, and can be loaded with VR16 or VR22 hog rings making it comfortable to use and very versatile. The FP20 has no magazine, as it has been designed for use in the most simple way. Perfect for fixing wire netting to fence wire. Ergonomic soft handle Handle lock for easy storage

VR22		Hogrings for 5-11mm netting wire		
Description	Article No	EAN Code	Units	For fence pliers FP222
VR22 Fence Hog Rings Galvanized 0.215M, Clamshell	40108801	3221631088015	10	Basic hogrings to maintain properly fence onto tensioned wire
Green Plastic coated VR22 Fence Hog Rings 0.215M, Clamshell	40108802	3221631088022	10	Common hogrings used to fix coloured fencing
VR22 Fence Hog Rings 1.1M, Clamshell	40108806	3221631088060	5	Basic hogrings to maintain properly fence onto tensioned wire
Green Plastic coated VR22 Fence Hog Rings 1.1M, Clamshell	40108807	3221631088077	5	Common hogrings used to fix coloured fencing
VR22 Fence Hog Rings Stainless Steel 0.215, Clamshell	40108805	3221631088053	5	High durability outside, long life fence fixture
White Plastic coated VR22 Fence Hog Rings 0.215, Clamshell	40108803	3221631088039	5	Common hogrings used to fix coloured fencing
Black Plastic Coated VR22 Fence Hog Rings 0.215, Clamshell	40108804	3221631088046	5	Common hogrings used to fix coloured fencing


VR22	Q VR22 Hog Ring 5–11mm			
Description	Article No	EAN Code	Units	Hogrings for 5-11mm netting wire For fence pliers FP222
Maxi-Pack of VR22 Fence Hog Rings Galvanized 1.6M, Box	40108810	3221631088107	1	Professional hogrings to maintain properly fence onto tensioned wire
Maxi-Pack of Green Plastic Coated VR22 Fence Hog Rings 1.6M, Box	40108811	3221631088114	10	Professional hogrings used to fix coloured fencing

Hog Ring 0 VR16 **VR16** 2-8mm Description Article No EAN Code VR16 Fence Hog Rings Stainless Steel 40108797 3221631087 0.4M, Clamshell VR16 Fence Hog Rings 0.4M, Clamshell 40108796 3221631087 VR16 Fence Hog Rings Stainless Steel 0.4M, Clamshell 322163108 40108798 VR16 Fence Hog Rings Galvanized 1.39M, Clamshell 40108799 3221631087 Green Plastic Coated VR16 Fence Hog Rings 40108800 3221631088

VR16	Hog Ring 2–8mm			Hogrings for 2-8mm netting wire.	
Description	Article No	EAN Code	Units	For fence pliers FP20, FP216	
Maxi-Pack of VR16 Fence Hog Rings Galvanized 3.19M, Box	40108808	3221631088084	13	Basic hogrings to maintain properly fence onto tensioned wire	
Maxi-Pack of Green plastic coated VR16 Fence Hog Rings 3.19, Box	40108809	3221631088091	13	Common hogrings used to fix coloured fencing	

		Hogrings for 2-8mm netting wire.						
	Units	For fence pliers FP20, FP216						
7971	10	Common hogrings used to fix coloured fencing						
7964	10	Galvanised hogrings for FP20 and FP216.						
7988		High durability outside, long life fence fixture						
7995	5	Basic hogrings to maintain properly fence onto tensioned wire						
8008	5	Common hogrings used to fix coloured fencing						
			/					





LIG150	(C50) Hogr 4–14	ing mm		Specially developed for securing grape vine in position.
Description	Article No	EAN Code	Units	 Hard steel branches for best durability Rubber handles for best comfort in intensive use
Vine Plier LIG 150, Box	40107753	3221631077538	8	For C50 hogrings

C85	Q		jring 0 mm		
Description		Article No	EAN Code	Units	Steel hogrings for LIG 175. For 6-20 mm diameter
C85 Vine hogrings 5M, Box		40107761	3221631077613	1	branches.

C75) (c75) Hog 6-1	gring 8 mm			
Description	Article No	EAN Code	Units	Hogrings to fix all branches, vine shoots.	
C75 Vine hogrings 6M, Box	40107759	3221631077590	1	Very high resistance	
C75 vine hogrings Aluminium 6M, Box	40107760	3221631077606	1	High resistance, Fexible wire, Long last	/

C50 Q	(55) Hog 4-14	ring 4 mm		
Description	Article No	EAN Code	Units	Hogrings to fix all branches, vine shoots
C50 Vine hogrings 4.2M, Box	40107757	3221631077576	1	Very high resistance
C50 Vine hogrings Aluminium 4.2M, Box	40107758	3221631077583	1	High resistance, Fexible wire, Long last








E100R	53	Staple 6–14 mm	Brad 15 mm	Electric Staple gun for hobby & decoration applications. Makes small repair and decoration go much faster. • Ergonomic design • Staple window shows staple length and
Description	Article No	EAN Code	Units	when it is time to reload • Manual on/off button for safety
E100R, Clamshell	23317400	7313463174007	4	 Supplied in inspirational packaging with
E100R, Clamshell - FR	23317402	7313463174021	4	180 pcs. 8 mm staples

FUN TO FIX STAPLING



M40 is two tools in one. It uses both fine-wire staples and brads. If you are a hobby fixer doing carpentry, decoration ans repairs, this is the right tool for you. Clamshell includes start set of staples.

- Wrap includes display box
- Adjustable force





M20R		taple -12mm		Small, lightweight stapling gun for home decoration and light duty repair. The Fun to fix tools are ergonomically designed and suitable also for smaller
Description	Article No	EAN Code	Units	hands. • Recoilless
M20R, Clamshell	23600800	7313466008002	10	 Clamshell includes start set of staples.
M20R, Wrap	24054001	7313460540010	6	 Wrap includes display box



		Ideal for lighter decoration and hobby work. Grip suits	3
	Units	also slightly smaller hand. Fires fine-wire staples.	
		 Recoilless 	
04	10	 Clamshell includes start set of staples. 	J
00	6	 Wrap includes display box 	

		Small, lightweight stapling gun for home decoration and light duty repair. The Fun to fix tools are ergonomically designed and suitable also for smaller
	Units	hands. • Recoilless
)5	10	 Clamshell includes start set of staples.
03	6	 Wrap includes display box

		ldeal for lighter decoration and hobby work. Grip suits
	Units	 also slightly smaller hand. Fires fine-wire staples. Recoilless
)1	10	 Clamshell includes start set of staples.
17	6	Wrap includes display box





G1010	5 (20W)	Ø7	Glue Ø7 mm
Description	Ai	rticle No	EAN Code
G1010, Clamshell - EU	24	4772100	731346817





Ø7 Fun to Fix Glue				Fun to Fi x glue bag is a new version of package solution with standing and hanging functions and
Description	Article No	EAN Code	Units	openable and closeable system. The bag contains of 20pcs of 100mm transparent sticks Ø7.
Fun to Fix Glue Colour Bag	23835900	7313464995007	120	 Each bag contains 80 gr of Coloured glue in
Fun to Fix Glue Transparent Bag	23835904	7313464995041	120	several colours



Ø12 Fun to Fix Glue

Description	Article No	EAN Code
Fun to Fix Glue Bag Multi Transparent	23499500	731346499

53	Fun	to

to Fix Rapid No 53

Description	Material	Pcs.	Packaging	Article No	EAN Code	Units
53/6 mm Fun to Fix	Galvanized	1.08M	Clamshell	40108717	3221631087179	10
53/8 mm Fun to Fix	Galvanized	1.08M	Clamshell	40108718	3221631087186	10
53/10 mm Fun to Fix	Galvanized	1.08M	Clamshell	40108721	3221631087216	10
53/12 mm Fun to Fix	Galvanized	1.08M	Clamshell	40108722	3221631087223	10

Fun to Fix Rapid No 13

Description	Material	Pcs.	Packaging	Article No	EAN Code	Units
13/6 mm Fun to Fix	Galvanized	1.1M	Clamshell	40108725	3221631087254	10
13/8 mm Fun to Fix	Galvanized	1.1M	Clamshell	40108726	3221631087261	10



As it's not always simple to have the right staple at home, Rapid provides a new solution of blister packaging including several kinds of leg length together. Multipack staples exists for several kinds of staples: red, yellow or cables and various leg lengths.

5313 7	Fun to Fix Multi pack		0	kinds of leg length together. Multipack staples exists for several kinds of staples: red, yellow or cables and various leg lengths.				
Description	Material	Pcs.	Packaging	Article No	EAN Code	Units		
53/4-6-8 mm Fun to Fix Multi	Galvanized	1.08M	Clamshell	40108715	3221631095181	10		
53/6-8 mm Fun to Fix Multi	Galvanized	1.08M	Clamshell	40108716	3221631095198	10		
53/10-12-14 mm Fun to Fix Multi	Galvanized	1.08M	Clamshell	40108719	3221631095204	10		
53/10-12 mm Fun to Fix Multi	Galvanized	1.08M	Clamshell	40108720	3221631095211	10		
13/4-6-8 mm Fun to Fix Multi	Galvanized	1.1M	Clamshell	40108723	3221631095228	10		
7/12-14 mm Fun to Fix Multi	Galvanized	0.72M	Clamshell	40108727	3221631087261	10		



60 | **FUN TO FIX**

FUN TO FIX GLUING

e	Units	G1010 is the mini glue gun which will help you beautify your home. Decorate your favourite frame
170004	5	with sea shells or pattern your window covers.
		G1000 in the Fun to Fix range is the colourful and
		small glue gun, perfect for applications at home. Decorate your favorite frame with sea shells, or
		pattern your window covers. Package include start
е	Units	set of glue sticks.
		 Silicone nozzle protection
731002	5	 Adjustable stand for gluing in best position



Units 95007 50

Fun to Fix glue bag contains of 10pcs multi transparent glue sticks D12X190mm and is suitable for Fun to Fix G1000. It's a new version of package solution with standing and hanging functions and open able and closable system. • Each bag contains 100 gr of Coloured glue in several colours



105E					
Description		Article No	EAN Code	Туре	Units
105E 66/6-8	220V, Box	10870402	7313468704025	EU	1
105E 66/6-8	230V, Box	10870410	7313468704100	UK	1
105E 66/6-8	220V, Box	10870417	7313468704179	СН	1
105E 66/6-8	115V, Box	10870425	7313468704254	US	1
105E 66/6-8	240V, Box	10870444	7313468704445	AU/NZ	1
105E 66/6-8	220V, Box	10870445	7313468704452	Excl. Plug	1
105E 66/6-8	220V, Box	10870451	7313468704513	HongKong	1
105E 66/6-8	220V, Box	10870460	7313468704605	CN	1
66/8+	10-50 ELECTRI	c			



Description	A	EAN O. J.	T		O stantan in d
Description	Article No	EAN Code	Туре	Units	3 staplers in 1
106E 66/6-8 220V, Box	10875302	7313468753023	EU	1	with the same functions as 105E.
106E 66/6-8 230V, Box	10875310	7313468753108	UK	1	Equipped with interchangeable insert staplers, the Rapid 106E can handle both flat, saddle stapling
106E 66/6-8 220V, Box	10875317	7313468753177	CH	1	and loop stapling (accessories). Suitable for work
106E 66/6-8 115V, Box	10875325	7313468753252	US	1	places where sheets and brochures are to be
106E 66/6-8 240V, Box	10801944	7313468753443	AU/NZ	1	stapled.
106E 66/6-8 220V, Box	10875345	7313468753450	Excl.Plug	1	 Capacity: 50 sheets (80 gsm paper)
106E 66/6-8 240V, Box	10875350	7313468753504	Excl.Plug	1	 Adjustable stapling force
106E 66/6-8 220V, Box	10875351	7313468753511	HongKong	1	 Adjustable stapling depth 0-100 mm A staplane in 1 interstance bla incert
106E 66/6-8 220V, Box	10875360	7313468753603	CN	1	 3 staplers in 1 – interchangeable insert staplers
106E Twin Rig					 Protection visor, cuts the power when lifted
106ETR 66/6-8 220V, Box	10885202	7313468852023	EU	4	 Delivered with wide worktable and pedal
,	10885202	7313468852054	US	- 1	 Serial mounting via opto cables for greater
106ETR 66/6-8 115V, Box				-	production capacity
106ETR 66/6-8 220V, Box	10885208	7313468852085	Excl. Plug	1	 Optional extras: Narrow work table, saddle stap
106ETR 66/6-8 230V, Box	10885210	7313468852108	UK	1	rail, stapling head for loop stapling, opto cables
106ETR 66/6-8 240V, Box	10885244	7313468852443	AU/NZ	1	 Tested for 500.000 operations
	c 102mm				



Electric stapler for office and packaging stapling

Fast stapler with slim design for added versatility. Equipped with the power, reliability and versatility demanded by industrial users. Two or more staplers can be linked for simultaneous multi-stapling. • Capacity: 50 sheets (80 gsm paper)

- Adjustable stapling force
 Adjustable stapling depth 0-100 mm
 Slim design enables it to be installed in a variety of configurations
- Protection visor, cuts the power when lifted
- Serial mounting via opto cables for greater production capacity



100E

5080e with worktable



100E

Description	Article No	EAN Code	Туре	Units
100E 44/6-8 230V/21, Box	10801931	7313468019310	EU	1
100E 44/6-8 240V/26, Box	10801948	7313468019488	US	1
100E 44/6-8 220V/29, Box	10801950	7313468019501	Div.	1
100E 44/6-8 230V/34, Box	10801956	7313468019563	HongKong	1
100E 66/6-8 230V/21, Box	10801932	7313468019327	EU	1
100E 66/6-8 230V/24, Box	10801939	7313468019396	СН	1
100E 66/6-8 230V/25, Box	10801935	7313468019358	UK	1
100E 66/6-8 230V/25, Box	5000003	7313468019358	UK	1
100E 66/6-8 115V/26, Box	10801942	7313468019426	US	1
100E 66/6-8 240V/28, Box	10801944	7313468019440	AU/NZ	1
100E 66/6-8 100V/32, Box	10801933	7313468019334	JP	1
100E 66/6-8 220V/33, Box	10801949	7313468019495	PE	1
100E 66/6-8 230V/34, Box	10801954	7313468019549	HongKong	1





Electric stapler for frequent stapling E100 is

the natural choice where stapling is very frequent,

Protection visor, cuts the power when lifted

such as post room or print finishing.

50 sheet capacity

Adjustable stapling forceAdjustable stapling depth 0-93 mm

Replaceable insert stapler

5080e EAN Code Units Description Article No Туре R5080E Black, Box 20993410 7313469934100 Global 1 R5080E Si/Orange, Box 20993411 7313469934117 Global 1 FLAT CLINCH 2-80 0-50mm 7

Electronic stapler with cassette loading

Trouble free stapling due to patented Cassette Stapling Technology which staples 5,000 times without reloading and regardless of number of sheets.

Tested for 500,000 stapling operations. • Capacity: 80 sheets (80gsm paper)

- Wear parts replaced with each new
- cassette
- Adjustable stapling depth up to 50 mm
- Low staple indicator
- Patented Cassette Stapling technology
- Extremely quiet action and low vibration
- One cassette (5,000 staples) included
- Pedal and work table optional extra
- Easy loading

Accessories

Description	Article No	EAN Code	Units		
106E Accessories					
R2/106E 66/6-8 Insert Stapler	10842312	7313468423124	10	3	
R252/106 66/6-Ring Insert Sta	apler 10843112	7313468431129	10		Narrow work table (60 mm)
106E Pedal	10880311	7313468803117	1		with anvil.
106E Saddle Runner (Rail)	108829	7313461088290	1		
106E Narrow Table	17824412	7313468244125	1		
105E Accessories				1	
R2/105E 66/6-8 Insert Stapler	10841512	7313468415129	10		R252/106 Stapling head for loop stapling (ring).
5050e/5080e/105e Pedal	10880302	7313468803025	1		
105E Multi base	108811	7313461088115	1		
105E Vice (Bench clamp)	178004	7313461780040	1	v	
106E & 105E Accessories					
Opto Cable 400 MM	17774101	7313467741014	1		The pedal is ideal for pre-
Opto Cable 700 MM	17774102	7313467741021	1		cision stapling in indus- trial applications. Simple
•					plug-in connection.
100E Accessories					
R2/100E 44/6-8 Insert Stapler	10833221	7313468332211	10		
R2/100E 66/6-8 Insert Stapler	10833222	7313468332228	10		
Pedal K100, 200-240V excl. plu	0	7313468514013	1		0
Pedal K100, 115V excl. plug	10851402	7313468514020	1	2	Special rail for saddle stapling with two or more
5080e Accessories					106E staplers.
5050e/5080e/105e Pedal	10880302	7313468803025	1	1	
5050e/5080e Worktable	21323790	7313463237900	1	* *	
5050e/5080e Visor Grey	21045203	7313460452030	1		
5050e/5080e Visor Orange	21045204	7313460452047	1		Simultaneous stapling
ba er	ne adjustable industrial multi ase for mounting up to 4 staplers nables the staplers to be easily oved to anouther working area.	enable	pench clamp) is stapler to be ixed to work-table ired.		action via linked opto cables (40 or 70cm). The staplers are sequence controlled, to avoid overloading the power supply.

Rapid 66 Staples STRONG

Description	Article No EAN Code
66/6mm 5M G Strong Staples	24867800 7313468678005
66/7mm 5M G Strong Staples	24867900 7313468679002
66/6mm 5M G Strong Staples for loop stapling (ring)	11740850 7313469066030
[66/5] ELECTRIC 6 mm 7 mm	6 mm 2-20 sheets 7 mm 5-30 sheets

Rapid 66 Staples SUPER STRONG

Description	Articl	le No EAN Code	
66/8+ 5M G SUPER STRO	NG 2486	8000 7313468680	800
	8,5 mm 10–50	sheets	

Rapid 5080 Cassette

Description	Article No	EAN Code
R5080 5M Single StapleCassette	20993700	7313469937002
R5080 5M 3-P StapleCassette	20993701	7313469937019
2-80 sheets		












HIGH

DURABILITY

EAN Code

BY RAPID




• 5 year guarantee when using Rapid

staples

Rapid 43 Staples SUPER STRONG

Descript	ion	Article No
43/6 10M	G TEXTILE SUPER STRONG	à 24872200
43/8 10M	G TEXTILE SUPER STRONG	G 24872300
43/6 43/8 TEXTILE		E



Units

10



12 mm 40-70 sheets

H	D31 Stapling Pliers, Box	10540310	7313465403105
H	D31 Stapling Pliers 2 anvils, Box	10540301	7313465403013

HD31

Powerful pliers with nickel-plated design and finger stop, ideal for jiffy bags, small boxes etc. Works with 3 different anvils which are easily attached with two screws.

- Capacity: 70 sheets (80 gsm paper)
- Nickel-plated design and finger stop
- Deliver with straight anvil and it is a standard version. Bag anvil is only delivered as accessory.
- 5 year guarantee when using Rapid staples

Rapid 73 Staples SUPER STRONG

65mm

· · · · · · · · · · · · · · · · · · ·			
Description	Article No	EAN Code	Units/Carton
73/6mm 5M G SUPER STRONG	24890200	7313468902001	24
73/8mm 5M G SUPER STRONG	24890300	7313468903008	18
73/10mm 5M G SUPER STRONG	24890400	7313468904005	16
73/12mm 5M G SUPER STRONG	24890800	7313468908003	15
SUPER SUPER SUPER SUPER	2–15 sheets 10–30 sheets 10–40 sheets		

Staple

73/6-12

73/6-12

Units

10

10

K1		Since 199 The Original Populs 194)) >
Description	Article No	EAN Code	Staple
K1 Stapling pliers, Box	10510601	7313465106013	24/6-8
K1 Stapling pliers, Box	10510602	7313465106020	26/6-8
K1 Stapling pliers, Clamshell	10510628	7313465106280	24/6-8
K1 Stapling pliers, Clamshell	10510629	7313465106297	26/6-8
24/8+ 26/8+ STRONG 10-50 STRONG	2-20	56mm	60 (1)

Rapid 24 Staples SUPER STRONG

Description	Article No	EAN Code	Units/Box	Units/Carton
24/6mm 1M Stainless SUPER STRONG	24858100	7313468581008	5	120
24/8mm 1M Stainless SUPER STRONG	24858300	7313468583002	5	150
24/8+ mm 1M Stainless SUPER STRONG	24858500	7313468585006	5	150
24/6+ mm 5M Stainless SUPER STRONG	24860100	7313468601003	-	35
	20 aboata			



Rapid 24 Staples STRONG

Description	Article No	EAN Code	Units/Box	Units/Carton
24/6mm 1M G STRONG	24855800	7313468558000	10	200
24/6mm 1M G White STRONG	24858200	7313468582005	10	120
24/8mm 2M CU STRONG	24859200	7313468592004	20	80
24/6mm 5M G STRONG	24859900	7313468599003	5	40
24/6mm 5x1M White STRONG	24860200	7313468602000	5	40
24/6 24/8 STRONG 6 mm 6 mm	2–30 sheets 2–40 sheets			

Rapid 26 Staples SUPER STRONG

Description	Article No	EAN Code	Units/Box	Units/Carton
26/8+ 1M G SUPER STRONG	24861600	7313468616007	5	100
26/8+ 5M G SUPER STRONG	24862200	7313468622008	-	70

Rapid 26 Staples STRONG

Description	Article No	EAN Code	Units/Box	Units/Carton
26/6mm 1M G STRONG	24861400	7313468614003	10	200
26/6mm 5M G STRONG 26/6 STRONG 6 mm 2–30 sheets	24862000	7313468620004	5	60

2-70



Units 8+ 40 40 8+ 8+ 24 23 8+

HIGH DURABILITY **BY RAPID**

The world's most sold pliers and the florist's favourite. Available in 2 different versions - for Rapid staple No. 24 and for Rapid staple No. 26. For the post room, shops, store, home and office Capacity: 50 sheets (80gsm paper)

- Available in 2 versions: for Rapid staple No 24 or 26
- Adjustable anvil for stapling and pinning
- Made out of metal with chromed surface
- 5 year guarantee when using Rapid staples







Colour

Nickel

Black

White

Blue

Units/

Box

5

5

5

5

Units/

Carton

20

20

20

20



S51

Description	Article No	EAN Code
S51 Stapling Pliers, Box	10538702	7313465353028
S51 Stapling Pliers, Box	10538705	7313465353127
S51 Stapling Pliers, Box	10538707	7313465353073
S51 Stapling Pliers, Box	10538708	7313465353080
21/4 STANDARD 2-15 42mm		

Handy stapling pliers for home and
office with a need for stapling with
small staples. Grip friendly and
totally in steel with powder spray
paint treatment. Available in nickel-
plating and several colours.

Rapid 21 Staples STANDARD

Description	Article No	EAN Code	Units/Box	Units/Carton
21/4mm 2M G STANDARD	24867500	7313468675004	20	240
21/4mm 1M G STANDARD	24867600	7313468676001	10	480
21/4mm 4X1M Galva Clamshell	11775480	3067337321441	5	35





Accessory discs						
Description	Article No	EAN Code				
HDC300 Discs, 10 Pcs, Clamshell	24826000	7313468260002				



4 mm 12 sheets

4mm

Units/Carton 100

Accessory cutters for HDC300 High frequent usage will make the cutters to start waering. Get the precision back by replacing the removable punching cutters.

Rapid Friendly Shopping

Shop presentations that will increase your sales

End users demand more information and advice. You have less time and resources to give it to them. That means products must be more or less self-instructing and self-selling; that will be one of the big differences between a premium brand and the competition.



This is why we are launching the Rapid Friendly Shopping program - a straightforward collection of packaging, point-ofsales materials and planogram ideas that will guide your customers in choosing the right products and increase turnover in your shop.

Packaging: an important source of end user information

Friendly Shopping starts with smart packaging. Our packaging has a system of symbols, text and images that work together to thoroughly explain the use of the product. Communication should clearly show a solution to the end user.

Touch & Feel blister packs Blister packs for manual staple guns and glue guns - that is the Friendly Shopping concept spot on! The products' ergonomics can easily be tested due to the half-open package design and the exposed handle or trigger.



Shop presentation

Regardless of market and other circumstances, the basic principles behind a good presentation should be the same. We would like to share our ideas for some Friendly Shopping presentations. Bestselling manual products

should be placed roughly at eye level and up. Machines arranged from low price/low usage (Hobby, Handy) to high price/high

- usage (Pro) if possible. Hang from left to right. Higher priced units placed
- in the middle as often as possible.
- Stapling occupies roughly 70% of the available area. Vertical presentation.
- Products in large boxes at the lower part of the presentation. Consumables can be placed with the lower

ARCENCES.

edge of the packaging at a height of approx. 190 cm above the floor.

 Presentation should include point of sales material that guides the end users, helping them choose the right product for their projects.



Displays





Staples

The end user information on the new staple packaging has been reworked to be clearer helping the end user choose the right staple for the job.

The slimmer design saves space allowing more packages in a single facing. This will decrease stock and boost turnover. End users look for staples actively. This means that product placement is not critical and does not have to be at eye level.



DIY activities

This product has been specially designed for various DIY activities.





Rapid[©] Friendly Shopping will always be adapted to your needs

No two stores are alike, so we made the Friendly Shopping concept adaptable! Almost no pointof-sales materials are in stock. Using a bank of core elements, we will practically custom make a presentation for you. It may take a little time, but it will be Your presentation.

Separate displays for flexible presentation placement will be available

SVENSK EFFIXITY



HEAD OFFICE: ISABERG RAPID AB, Box 115, 330 27 Hestra, SWEDEN, Tel. +46 370 33 95 00, Fax +46 370 33 95 02, www.rapid.com

